

Calibre Mining Drill Results released 23 February 2021

Exploration and Resource Expansion Drill Results

Q4 2020 EL LIMON EXPLORATION DRILLING RESULTS						
Drill Hole ID	Vein Structure	From (m)	To (m)	Interval (m)	Estimated True Width (m)	Au (g/t)
LIM-20-4510	Panteon	0.0	146.6	146.6		NS
		146.6	153.7	7.1		0.10
		153.7	159.7	6.0		0.71
		159.7	166.7	7.1	6.1	6.97
	<i>Includes</i>	159.7	160.7	1.0		11.30
		160.7	161.7	1.1		5.70
		161.7	162.7	1.0		1.25
		162.7	163.7	1.0		11.80
		163.7	164.7	1.0		8.60
		164.7	165.7	1.0		3.78
	165.7	166.7	1.0		6.40	
	166.7	168.7	2.0		0.04	
LIM-20-4493	Atravesada	0.0	226.3	226.3		NS
		226.3	231.3	5.0		0.08
		231.3	243.0	11.8	8.2	3.64
	<i>Includes</i>	231.3	235.0	3.7		5.95
		235.0	243.0	8.1		2.58
	243.0	246.8	3.8		0.68	
	246.8	252.5	5.7		0.10	
LIM-20-4497	Atravesada	0.0	225.6	225.6		NS
		225.6	232.0	6.4		0.07
	232.0	243.0	11.0	6.8	7.98	
	<i>Includes</i>	232.0	238.1	6.1		8.14
		238.1	239.9	1.9		19.31
		239.9	243.0	3.1		0.79
243.0		245.8	2.9		1.65	
	245.8	248.8	3.0		0.04	
LIM-20-4500	Atravesada	0.0	251.7	251.7		NS
		251.7	254.7	3.0		0.00
		254.7	256.9	2.2		0.42
		256.9	258.9	2.0	1.4	2.85
		258.9	259.9	1.1		0.58
		259.9	261.9	2.0		0.13
LIM-20-4502	Atravesada	0.0	210.3	210.3		NS
		210.3	212.3	2.0		0.02
		212.3	214.4	2.1		0.74
		214.4	216.4	2.0		0.06
		216.4	234.6	18.3		NS
		234.6	244.7	10.1		0.25
LIM-20-4506	Atravesada	0.0	264.4	264.4		NS
		264.4	292.2	27.8		0.19
		292.2	294.6	2.4	1.2	2.15
		294.6	304.7	10.1		0.14
		304.7	307.4	2.7		1.83
		307.4	311.4	4.0		0.29

Q4 2020 EL LIMON EXPLORATION DRILLING RESULTS						
Drill Hole ID	Vein Structure	From (m)	To (m)	Interval (m)	Estimated True Width (m)	Au (g/t)
LIM-20-4507	Atravesada	0.0	189.9	189.9		NS
		189.9	191.9	2.0		0.08
		191.9	195.1	3.2	2.9	5.53
	<i>Includes</i>	191.9	193.1	1.2		1.78
		193.1	194.1	1.0		14.20
		194.1	195.1	1.0		1.37
195.1		197.1	2.0		0.05	
LIM-20-4512	Atravesada	0.0	197.5	197.5		NS
		197.5	203.5	6.0		0.06
		203.5	209.7	6.2		0.34
		209.7	233.6	23.9		0.01
		233.6	239.0	5.5		0.60
		239.0	241.0	2.0		0.02
LIM-20-4515	Atravesada	0.0	198.8	198.8		NS
		198.8	201.0	2.2		0.03
		201.0	215.3	14.4	9.8	8.92
	<i>Includes</i>	201.0	203.0	2.0		6.01
		203.0	205.0	2.0		14.25
		205.0	207.0	2.1		3.42
		207.0	209.1	2.1		32.40
		209.1	211.1	2.0		2.66
		211.1	213.3	2.2		0.74
213.3		215.3	2.0		2.76	
215.3	223.3	8.0		0.15		
LIM-20-4520	Atravesada	0.0	220.5	220.5		NS
		220.5	227.6	7.1		0.07
		227.6	228.6	1.0		2.83
		228.6	232.2	3.6		0.57
		232.2	240.8	8.6		0.09
		240.8	247.8	7.0		0.62
		247.8	251.8	4.0	2.5	7.82
	<i>Includes</i>	247.8	248.8	1.0		2.66
		248.8	250.8	2.0		12.90
250.8		251.8	1.0		2.84	
251.8	253.8	2.0		0.11		
LIM-20-4513	Veta Nueva	0.0	70.2	70.2		NS
		70.2	78.2	8.0		0.15
		78.2	79.3	1.2		2.02
		79.3	239.3	160.0		NS
		239.3	241.3	2.0		0.35
		241.3	243.3	2.0	1.4	1.86
		243.3	249.2	5.9		0.54
		249.2	252.2	3.0		0.02

Q4 2020 EL LIMON EXPLORATION DRILLING RESULTS						
Drill Hole ID	Vein Structure	From (m)	To (m)	Interval (m)	Estimated True Width (m)	Au (g/t)
LIM-20-4523	Veta Nueva	0.0	218.5	218.5		NS
		218.5	229.7	11.2		0.05
		229.7	236.8	7.1	5.8	3.80
	<i>Includes</i>	229.7	232.6	2.9		0.69
		232.6	235.9	3.3		1.31
		235.9	236.8	0.9		22.80
		236.8	243.4	6.6		0.49
LIM-20-4524	Veta Nueva	0.0	194.8	194.8		NS
		194.8	209.9	15.1		0.08
		209.9	227.4	17.5	13.6	4.78
	<i>Includes</i>	209.9	215.6	5.8		1.57
		215.6	218.2	2.6		4.57
		218.2	219.1	1.0		22.60
		219.1	224.5	5.4		1.84
		224.5	226.2	1.7		17.09
LIM-20-4527	Veta Nueva	0.0	200.1	200.1		NS
		200.1	203.5	3.5		0.77
		203.5	223.4	19.9		NS
		223.4	228.4	5.0		0.85
		228.4	245.2	16.8		NS
		245.2	247.2	2.0		0.02
		247.2	255.6	8.4	5.7	1.56
LIM-20-4528	Veta Nueva	290.8	294.8	4.0		0.05
		294.8	299.2	4.4		0.28
		299.2	303.4	4.2	3.1	10.94
	<i>Includes</i>	299.2	300.2	1.0		8.40
		300.2	301.0	0.9		33.30
		301.0	303.4	2.4		3.93
		303.4	305.0	1.6		0.38
	305.0	318.6	13.6		0.08	

Q4 2020 LA LIBERTAD EXPLORATION DRILLING RESULTS						
Drill Hole ID	Vein Structure	From (m)	To (m)	Interval (m)	Estimated True Width (m)	Au (g/t)
JB-20-516	Jabali Zone II	0.0	112.3	112.3		NS
		112.3	268.8	156.5		0.06
JB-20-517	Jabali Zone II	0.0	112.4	112.4		NS
		112.4	142.7	30.3		0.01
		142.7	147.7	5.0		0.58
		147.7	156.7	9.0		0.05
JB-20-520	Jabali Zone II	0.0	161.4	161.4		NS
		161.4	310.8	149.4		0.01
JB-20-524	Jabali Zone II	0.0	73.8	73.8		NS
		73.8	82.8	9.0		0.02
		82.8	85.8	3.0		0.59
		85.8	89.8	4.0		0.09

Q4 2020 LA LIBERTAD EXPLORATION DRILLING RESULTS						
Drill Hole ID	Vein Structure	From (m)	To (m)	Interval (m)	Estimated True Width (m)	Au (g/t)
JB-20-526	Jabali Zone II	0.0	146.4	146.4		NS
		146.4	188.0	41.6		0.03
JB-20-530	Jabali Zone II	0.0	70.4	70.4		NS
		70.4	140.9	70.5		0.01
JB-20-513	Jabali Zone III	0.0	286.9	286.9		NS
		286.9	310.3	23.4		0.06
JB-20-519	Jabali Zone III	0.0	308.6	308.6		NS
		308.6	346.0	37.5		0.36
JB-20-523	Jabali Zone III	0.0	51.8	51.8		NS
		51.8	86.8	35.0		0.01
		86.8	254.5	167.7		NS
		254.5	292.5	38.0		0.03
JB-20-505	Jabali Zone IV	0.0	342.9	342.9		NS
		342.9	404.7	61.8		0.02
JB-20-514	Jabali Zone IV	0.0	9.1	9.1		NS
		9.1	39.6	30.5		0.00
		39.6	138.7	99.1		NS
		138.7	160.0	21.3		0.01
		160.0	164.6	160.0		NS
		164.6	185.8	21.2		0.00
		185.8	342.9	157.1		NS
		342.9	406.9	64.0		0.05
		406.9	464.8	57.9		NS
464.8	491.9	27.1	0.02			
JB-20-518	Jabali Zone IV	0.0	109.8	109.8		NS
		109.8	135.1	25.3		0.00
		135.1	190.5	55.5		NS
		190.5	221.0	30.5		0.00
		221.0	371.0	150.0		NS
371.0	447.7	76.7	0.05			
JB-20-521	Jabali Zone IV	0.0	25.0	25.0		NS
		25.0	161.5	136.5		0.00
		161.5	323.0	161.5		NS
		323.0	354.0	31.0		0.04
		354.0	359.1	5.1		0.93
359.1	405.1	46.0	0.05			
JB-20-529	Jabali Zone IV	0.0	175.9	175.9	1.9	NS
		175.9	180.8	5.0		0.05
		180.8	182.8	2.0		6.70
		182.8	184.8	2.0		0.05
184.8	192.0	7.2	0.53			
ES-20-021	Escandalo	0.0	150.8	150.8		NS
		150.8	217.6	66.8		0.01
ES-20-022	Escandalo	0.0	112.8	112.8		NS
		112.8	114.8	2.0		0.02
		114.8	190.0	75.2		NS
		190.0	227.0	37.0		0.03

Q4 2020 LA LIBERTAD EXPLORATION DRILLING RESULTS						
Drill Hole ID	Vein Structure	From (m)	To (m)	Interval (m)	Estimated True Width (m)	Au (g/t)
ES-20-023	Escandalo	0.0	205.2	205.2		NS
		205.2	211.2	6.0		0.03
		211.2	238.3	27.1		NS
		238.3	254.5	16.2		0.00
		254.5	334.9	80.4		0.02
ES-20-024	Escandalo	0.0	37.2	37.2		NS
		37.2	55.5	18.3		0.02
		55.5	86.9	31.5		NS
		86.9	104.1	17.2		0.00
		104.1	152.4	48.3		NS
		152.4	163.5	11.1		0.01
		163.5	237.9	74.4		NS
237.9	282.9	45.0		0.05		
ES-20-025	Escandalo	0.0	132.6	132.6		NS
		132.6	150.9	18.3		0.01
		150.9	211.1	60.2		NS
		211.1	263.0	51.9		0.00
		263.0	294.9	31.9		0.04
ES-20-026	Escandalo	0.0	27.1	27.1		NS
		27.1	30.1	3.0		0.03
		30.1	147.2	117.1		NS
		147.2	207.4	60.2		0.00
		207.4	288.5	81.1		NS
		288.5	337.2	48.7		0.00
ES-20-027	Escandalo	0.0	73.7	73.7		NS
		73.7	165.7	92.0		0.01
ES-20-028	Escandalo	0.0	86.7	86.7		NS
		86.7	192.7	106.0		0.03
CH-20-033A	Socorro	0.0	28.1	28.1		NS
		28.1	236.8	208.8		0.07
		236.8	238.7	1.9		1.19
		238.7	254.7	16.0		0.06
		254.7	256.2	1.5	0.8	3.95
		256.2	365.1	108.9		0.04
CH-20-034	Socorro	0.0	48.4	48.4		NS
		48.4	52.4	4.0		0.04
		52.4	80.0	27.6		NS
		80.0	87.9	7.9		0.08
		87.9	159.3	71.4		NS
		159.3	180.4	21.1		0.01
		180.4	183.4	3.0		2.00
		183.4	200.4	17.0		0.43
		200.4	207.4	7.0	3.7	3.13
		<i>Includes</i>	200.4	202.4	2.0	
		202.4	205.4	3.0		0.40
		205.4	207.4	2.0		6.89
		207.4	219.4	12.0		0.54
		219.4	222.0	2.6		0.78
	222.0	242.0	20.0		0.20	
	242.0	330.7	88.7		0.03	
CH-20-035	Socorro	0.0	140.9	140.9		NS
		140.9	147.4	6.5		0.04

Q4 2020 LA LIBERTAD EXPLORATION DRILLING RESULTS						
Drill Hole ID	Vein Structure	From (m)	To (m)	Interval (m)	Estimated True Width (m)	Au (g/t)
		147.4	235.5	88.1		NS
		235.5	371.9	136.4		0.05
CH-20-036	Socorro	0.0	51.4	51.4		NS
		51.4	76.9	25.5		0.01
		76.9	110.8	33.9		NS
		110.8	224.7	113.9		0.02
		224.7	232.2	7.5		0.41
		232.2	243.3	11.2		0.14
		243.3	246.3	3.0	1.8	1.63
		246.3	254.3	8.0		0.50
		254.3	270.3	16.0		0.14
		270.3	271.3	1.0		1.88
		271.3	364.3	93.0		0.09
		364.3	367.3	3.0	1.8	1.32
		367.3	374.9	7.6		0.06
CH-20-037	Socorro	0.0	17.9	17.9		NS
		17.9	105.4	87.5		0.02
		105.4	107.4	2.0		0.58
		107.4	134.0	26.6		0.03
		134.0	174.9	40.9		NS
		174.9	178.4	3.5		0.79
		178.4	200.9	22.5		0.14
		200.9	222.2	21.4		NS
		222.2	261.2	39.0		0.08
		261.2	281.3	20.1		NS
		281.3	292.3	11.0		0.47
		292.3	342.5	50.2		0.05
CH-20-038	Socorro	0.0	37.2	37.2		NS
		37.2	197.5	160.3		0.07
		197.5	210.9	13.3	6.1	1.01
		210.9	220.0	9.1		0.19
		220.0	221.3	1.3		5.20
		221.3	237.8	16.5		0.08
		237.8	262.0	24.2		NS
		262.0	285.0	23.0		0.06
CH-20-039	Socorro	0.0	82.3	82.3		NS
		82.3	117.9	35.6		0.00
		117.9	146.8	28.9		NS
		146.8	335.4	188.6		0.06
		335.4	341.6	6.2		0.44
		341.6	352.0	10.4		0.04
		352.0	388.5	36.4		0.50
		388.5	389.5	1.0	0.4	5.80
		389.5	431.3	41.9		0.05
CH-20-040	Socorro	0.0	11.5	11.5		NS
		11.5	52.6	41.1		0.10
		52.6	57.6	5.0	1.8	1.45
		57.6	78.5	20.9		0.07
		78.5	80.5	2.0		0.85
		80.5	362.1	281.6		0.04
Q4 2020 LA LIBERTAD EXPLORATION DRILLING RESULTS						
Drill Hole ID	Vein Structure	From (m)	To (m)	Interval (m)	Estimated True Width (m)	Au (g/t)

Q4 2020 LA LIBERTAD EXPLORATION DRILLING RESULTS						
Drill Hole ID	Vein Structure	From (m)	To (m)	Interval (m)	Estimated True Width (m)	Au (g/t)
CH-20-041	Socorro	0.0	31.1	31.1		NS
		31.1	105.9	74.8		0.01
		105.9	131.5	25.7		NS
		131.5	141.6	10.1		0.50
		141.6	148.6	7.0	3.1	4.43
	<i>Includes</i>	141.6	143.6	2.0		9.20
		143.6	148.6	5.0		2.52
		148.6	152.6	4.0		0.06
		152.6	156.2	3.6		0.62
		156.2	157.7	1.6		5.40
		157.7	171.4	13.7		0.11
		171.4	193.4	22.0		NS
		193.4	234.0	40.6		0.08
		234.0	258.4	24.4		NS
		258.4	280.0	21.6		0.17
280.0	296.5	16.5		NS		
296.5	328.0	31.6		0.05		
CH-20-042	Socorro	0.0	1.5	1.5		NS
		1.5	9.0	7.5		0.01
		9.0	31.7	22.6		NS
		31.7	157.7	126.0		0.07
		157.7	166.7	9.0		0.93
		166.7	167.7	1.0		0.01
		167.7	172.9	5.2		0.28
		172.9	186.3	13.5	6.8	1.17
		186.3	199.9	13.6		0.15
		199.9	230.1	30.2		NS
		230.1	272.8	42.7		0.03
		272.8	275.8	3.0	1.5	1.94
		275.8	335.3	59.4		0.07
CH-20-043	Socorro	0.0	29.2	29.2		NS
		29.2	69.3	40.1		0.10
		69.3	72.3	3.1	1.1	21.90
	<i>Includes</i>	69.3	70.8	1.5		4.34
		70.8	72.3	1.6		38.90
		72.3	78.4	6.1		0.12
		78.4	159.2	80.8		NS
		159.2	199.8	40.6		0.09
		199.8	240.1	40.3		NS
240.1	290.5	50.5		0.05		
290.5	297.5	7.0	2.5	1.17		
297.5	300.5	3.0		0.02		
CH-20-044	Socorro	0.0	11.2	11.2		NS
		11.2	168.4	157.2		0.01
		168.4	259.9	91.6		NS
		259.9	275.2	15.3		0.01

Q4 2020 LA LIBERTAD EXPLORATION DRILLING RESULTS						
Drill Hole ID	Vein Structure	From (m)	To (m)	Interval (m)	Estimated True Width (m)	Au (g/t)
RS-20-061	Rosario	0.0	1.5	1.5		NS
		1.5	89.9	88.4		0.01
		89.9	198.1	108.2		NS
		198.1	207.3	9.1		0.02
		207.3	279.1	71.8		NS
279.1	314.2	35.1	0.02			
RS-20-062	Rosario	0.0	5.4	5.4		NS
		5.4	56.4	51.0		0.02
		56.4	266.7	210.3		NS
		266.7	313.5	46.8		0.02
RS-20-063	Rosario	0.0	6.1	6.1	10.2	NS
		6.1	39.6	33.5		0.01
		39.6	103.5	63.9		NS
		103.5	163.1	59.6		0.02
		163.1	246.9	83.8		NS
		246.9	281.4	34.5		0.04
		281.4	293.5	12.1		1.27
293.5	298.1	4.6	0.06			
RS-20-064	Rosario	0.0	30.5	30.5		NS
		30.5	68.6	38.1		0.01
		68.6	277.9	209.3		NS
		277.9	347.5	69.6		0.04
RS-20-065	Rosario	0.0	28.4	28.4		NS
		28.4	34.4	6.0		0.01
		34.4	176.1	141.7		NS
		176.1	217.9	41.8		0.01
		217.9	334.0	116.1		NS
334.0	341.5	7.5	0.01			
RS-20-066	Rosario	0.0	198.1	198.1		NS
		198.1	222.5	24.4		0.01
		222.5	283.2	60.7		NS
		283.2	315.0	31.8		0.03
RS-20-067	Rosario	0.0	253.0	253.0		NS
		253.0	256.6	3.6		0.01
		256.6	292.4	35.9		NS
		292.4	342.9	50.5		0.03
CA-20-012	Carmen	0.0	69.2	69.2		NS
		69.2	72.2	3.0		0.01
		72.2	136.1	63.9		NS
		136.1	180.2	44.1		0.03
CA-20-013	Carmen	0.0	164.0	164.0		NS
		164.0	172.0	8.0		0.03
CA-20-014	Carmen	0.0	111.5	111.5		NS
		111.5	173.4	61.9		0.03
CA-20-015	Carmen	0.0	60.8	60.8		NS
		60.8	65.4	4.6		0.04
		65.4	92.8	27.5		NS
		92.8	94.7	1.9		0.01
		94.7	191.3	96.6		NS
191.3	222.4	31.2	0.06			
CA-20-016	Carmen	0.0	122.5	122.5		NS
		122.5	131.1	8.6		0.21
CA-20-017	Carmen	0.0	71.6	71.6		NS

Q4 2020 LA LIBERTAD EXPLORATION DRILLING RESULTS						
Drill Hole ID	Vein Structure	From (m)	To (m)	Interval (m)	Estimated True Width (m)	Au (g/t)
		71.6	124.3	52.6		0.05
CA-20-018	Carmen	0.0	47.7	47.7		NS
		47.7	61.6	13.9		0.00
		61.6	70.1	8.6		0.00
		70.1	74.7	4.6		0.00
		74.7	301.8	227.1		NS
		301.8	333.8	32.0		0.05
SA-20-043	San Antonio	0.0	7.0	7.0		NS
		7.0	74.7	67.7		0.0
		74.7	77.7	3.0	2.9	3.8
		77.7	137.5	59.7		0.0
		137.5	139.8	2.4	2.3	1.0
		139.8	173.2	33.4		0.0
SA-20-044	San Antonio	0.0	106.7	106.7		0.02
SA-20-045	San Antonio	0.0	181.9	181.9		0.01
SA-20-046	San Antonio	0.0	0.6	0.6		NS
		0.6	64.7	64.1		0.01
		64.7	68.1	3.5		0.36
		68.1	105.2	37.1		0.03
SA-20-047	San Antonio	0.0	68.5	68.5		0.00
		68.5	69.9	1.3		1.50
		69.9	74.7	4.8		0.03
		74.7	75.4	0.7	0.7	2.78
		75.4	112.8	37.4		0.01
SA-20-047 (cont'd)		112.8	113.5	0.7		1.24
		113.5	114.8	1.3		0.00
		114.8	174.3	59.5		NS
		174.3	175.3	0.9		0.02
		175.3	246.4	71.1		0.07
		246.4	254.4	8.0		0.46
		254.4	272.0	17.7		0.01
SA-20-048	San Antonio	0.0	26.9	26.9		NS
		26.9	133.3	106.4		0.00
		133.3	137.8	4.5	4.4	1.05
		137.8	184.4	46.6		0.02
		184.4	186.4	2.0		0.50
		186.4	214.9	28.5		0.06
SA-20-049	San Antonio	0.0	25.9	25.9		NS
		25.9	175.3	149.4		0.01
SA-20-050	San Antonio	0.0	7.9	7.9		NS
		7.9	188.4	180.5		0.01
		188.4	190.4	2.1		0.92
		190.4	194.4	3.9		0.05
SA-20-051	San Antonio	0.0	23.3	23.3		NS
		23.3	160.0	136.7		0.02
SA-20-052	San Antonio	0.0	21.9	21.9		NS
		21.9	146.7	124.8		0.02

Q4 2020 PAVON EXPLORATION DRILLING RESULTS							
Drill Hole ID	Vein Structure	From (m)	To (m)	Interval (m)	Estimated True Width (m)	Au (g/t)	
PVN-20-027	Pavon Norte	0.0	73.7	73.7		NS	
		73.7	94.9	21.2		0.08	
		94.9	100.7	5.8		0.80	
		100.7	113.3	12.6		0.12	
PVN-20-031	Pavon Norte	0.0	18.3	18.3		NS	
		18.3	24.4	6.1		0.10	
	24.4	33.6	9.2	8.5		2.62	
	<i>Includes</i>	24.4	27.5	3.1		5.55	
		27.5	30.5	3.1		0.21	
		30.5	33.6	3.1		2.09	
		33.6	92.1	58.5	0.08		
PVN-20-033	Pavon Norte	0.0	25.7	25.7		NS	
		25.7	53.6	27.9		0.06	
		53.6	57.6	4.0		0.93	
		57.6	62.1	4.5		0.17	
		62.1	71.1	9.0		0.63	
		71.1	81.6	10.5		10.0	2.13
		81.6	91.6	10.0		0.04	
		91.6	99.9	8.3		NS	
		99.9	103.9	4.0		0.04	
		103.9	108.0	4.1		NS	
		108.0	110.5	2.5		0.06	
		110.5	153.0	42.5		NS	
153.0	156.5	3.5	0.02				
PVN-20-034	Pavon Norte	0.0	32.9	32.9		NS	
		32.9	98.4	65.5		0.04	
		98.4	106.4	8.0		0.08	
		106.4	113.4	7.0		6.0	1.33
		113.4	124.4	11.0		0.13	
		124.4	143.9	19.5		0.31	
143.9	153.4	9.5	0.09				
PVN-20-035	Pavon Norte	0.0	42.3	42.3		NS	
		42.3	52.3	10.0		0.02	
		52.3	57.6	5.3		NS	
		57.6	80.1	22.5		0.04	
		80.1	83.6	3.5		0.19	
		83.6	88.6	5.0		4.0	1.58
		88.6	97.6	9.0		0.27	
		97.6	100.6	3.0		0.60	
		100.6	105.6	5.0		0.18	
		105.6	131.1	25.5		0.08	
131.1	147.9	16.9	NS				
147.9	155.4	7.5	0.02				

Infill Drill Results

Q4 2020 EL LIMON INFILL DRILLING RESULTS						
Drill Hole ID	Vein Structure	From (m)	To (m)	Interval (m)	Estimated True Width (m)	Au (g/t)
LIM-20-4487	Panteon	0.0	296.3	296.3		NS
		296.3	309.5	13.2		0.04
		309.5	321.1	11.6		0.26
		321.1	324.3	3.2		0.01
LIM-20-4492	Panteon	0.0	325.9	325.9		NS
		325.9	347.2	21.3	2.0	0.04
		347.2	350.2	3.0		1.09
		350.2	356.4	6.2		0.65
356.4	362.3	5.9	0.09			
LIM-20-4501	Panteon	0.0	209.9	209.9		NS
		209.9	214.9	5.0		0.05
		214.9	227.7	12.8		NS
		227.7	233.1	5.4		0.17
		233.1	251.4	18.4		NS
		251.4	266.6	15.2		0.06
		266.6	269.6	3.0	2.1	1.42
269.6	272.6	3.0	0.05			
LIM-20-4505	Panteon	0.0	152.3	152.3		NS
		152.3	157.3	5.0		0.03
		157.3	160.3	3.0		0.64
		160.3	162.3	2.0	0.4	3.56
		162.3	169.9	7.7		0.18
		169.9	171.0	1.1	0.8	12.80
		171.0	174.0	3.0		0.10
		174.0	251.8	77.9		NS
251.8	284.6	32.8		0.10		
LIM-20-4511	Panteon	0.0	106.1	106.1		NS
		106.1	121.1	15.0		0.05
		121.1	125.5	4.5	3.3	1.79
		125.5	130.0	4.5		0.07
LIM-20-4514	Panteon	0.0	123.7	123.7		NS
		123.7	128.0	4.3		0.16
		128.0	132.4	4.4	2.1	5.43
		<i>128.0</i>	<i>130.0</i>	2.0		8.88
		<i>130.0</i>	<i>132.4</i>	2.4		2.55
		132.4	133.4	1.0		0.14
		133.4	223.5	90.1		NS
		223.5	227.4	4.0		0.15
		227.4	233.8	6.4		1.87
		233.8	239.2	5.5		NS
239.2	242.2	3.0		0.07		
LIM-20-4517	Panteon	0.0	60.8	60.8		NS
		60.8	73.7	12.9		0.09
		73.7	79.5	5.8		0.60
		79.5	89.0	9.5		NS
		89.0	90.4	1.5		0.54
		90.4	93.2	2.8	1.9	4.01
		93.2	97.5	4.3		0.10
		97.5	124.7	27.2		NS
124.7	128.1	3.5		0.08		
LIM-20-4521	Panteon	0.0	98.5	98.5		NS
		98.5	105.9	7.4		0.04

Q4 2020 EL LIMON INFILL DRILLING RESULTS						
Drill Hole ID	Vein Structure	From (m)	To (m)	Interval (m)	Estimated True Width (m)	Au (g/t)
		105.9	109.5	3.6		0.76
		109.5	134.2	24.8		0.02
		134.2	135.2	1.0	0.6	3.21
		135.2	193.7	58.5		0.01
LIM-20-4522	Panteon	0.0	128.1	128.1		NS
		128.1	213.7	85.7		0.03
LIM-20-4526	Panteon	0.0	99.4	99.4		NS
		99.4	107.5	8.1		0.14
		107.5	267.4	159.9		NS
		267.4	273.2	5.8		0.01
		273.2	274.2	1.0		1.34
		274.2	281.2	7.0		0.01
		281.2	283.2	2.0	1.1	1.65
		283.2	300.1	16.9		0.05
LIM-20-4530	Panteon	0.0	232.1	232.1		NS
		232.1	236.0	3.9		0.03
		236.0	241.1	5.1		0.79
		241.1	243.8	2.7		0.05
		0.0	232.1	232.1		NS
		232.1	236.0	3.9		0.03
LIM-20-4491	Limon Central	0.0	260.8	260.8		NS
		260.8	266.5	5.7		0.09
		266.5	288.7	22.2	21.6	2.51
	<i>Includes</i>	266.5	268.8	2.4		4.44
		268.8	274.5	5.7		1.39
		274.5	279.6	5.1		4.34
		279.6	288.7	9.1		1.68
		288.7	291.8	3.1		0.04
LIM-20-4495	Limon Central	0.0	220.8	220.8		NS
		220.8	221.8	1.0		0.03
		221.8	229.8	8.0	6.0	5.35
	<i>Includes</i>	221.8	224.9	3.1		0.66
		224.9	229.8	4.9		8.31
		229.8	233.3	3.5		0.03
LIM-20-4496	Limon Central	0.0	238.5	238.5		NS
		238.5	240.5	2.0		0.05
		240.5	256.2	15.8	15.3	2.78
	<i>Includes</i>	240.5	244.0	3.6		2.97
		244.0	249.2	5.2		1.72
		249.2	254.2	5.0		4.11
		254.2	256.2	2.1		1.86
		256.2	261.2	5.0		0.09
LIM-20-4498	Limon Central	0.0	290.6	290.6		NS
		290.6	294.6	4.0		0.01
		294.6	301.7	7.2	6.3	1.27
		301.7	304.7	3.0		0.04
LIM-20-4499	Limon Central	0.0	265.3	265.3		NS
		265.3	276.9	11.6		0.00
		276.9	278.8	1.9		0.96
		278.8	282.6	3.9		0.05
LIM-20-4516	Limon Norte	0.0	169.5	169.5		NS
		169.5	190.4	20.9		0.03
		190.4	200.4	10.0		0.10

Q4 2020 EL LIMON INFILL DRILLING RESULTS						
Drill Hole ID	Vein Structure	From (m)	To (m)	Interval (m)	Estimated True Width (m)	Au (g/t)
		200.4	201.4	1.0	1.0	251.90
		201.4	203.4	2.0		0.23
		203.4	207.4	4.0		0.05
		207.4	208.4	1.0		1.19
		208.4	213.4	5.0		0.02
LIM-20-4519	Limon Norte	0.0	186.6	186.6		NS
		186.6	216.0	29.4		0.11
LIM-20-4525	Limon Norte	0.0	173.6	173.6		NS
		173.6	176.6	3.0		0.00
		176.6	180.6	4.0		0.71
		180.6	185.2	4.7		0.03
		185.2	201.5	16.3	14.7	2.25
	<i>Includes</i>	185.2	188.5	3.3		0.88
		188.5	190.5	2.0		5.55
		190.5	194.5	4.0		0.54
		194.5	199.5	5.0		3.75
		199.5	201.5	2.0		0.85
		201.5	209.3	7.8		0.25
LIM-20-4531	Limon Norte	0.0	174.3	174.3		NS
		174.3	203.4	29.1		0.02
LIM-20-4455	Tigra-Chaparral	0.0	103.4	103.4		NS
		103.4	147.2	43.8		0.18
LIM-20-4503	Tigra-Chaparral	0.0	281.9	281.9		NS
		281.9	291.1	9.2		0.04
		291.1	292.1	1.0		0.42
		292.1	293.1	1.0	0.9	3.37
		293.1	295.1	2.0		0.02
LIM-20-4504	Tigra-Chaparral	0.0	220.0	220.0		NS
		220.0	241.0	21.0		0.05
LIM-20-4508	Tigra-Chaparral	0.0	291.9	291.9		NS
		291.9	294.0	2.1		0.02
		294.0	295.0	1.1		1.64
		295.0	298.1	3.1		0.07
		298.1	300.1	2.0	1.5	4.72
		300.1	305.1	5.0		0.03
LIM-20-4509	Tigra-Chaparral	0.0	209.5	209.5		NS
		209.5	211.8	2.4		0.08
		211.8	219.7	7.9		0.20
		219.7	224.7	5.1		0.05
LIM-20-4529	Veta Nueva	203.0	207.0	4.0		0.02
		207.0	209.0	2.0		0.39
		209.0	211.0	2.1	1.8	4.22
		211.0	215.7	4.7		0.13
		215.7	221.1	5.4		0.79
		221.1	228.4	7.3		0.07

Q4 2020 LA LIBERTAD INFILL DRILLING RESULTS						
Drill Hole ID	Vein Structure	From (m)	To (m)	Interval (m)	Estimated True Width (m)	Au (g/t)
JB-20-503	Jabali Zone I	0.0	43.5	43.5	6.5	NS
		43.5	78.4	34.9		0.03
		78.4	85.0	6.6		1.82
		85.0	90.0	5.0		0.01
JB-20-504	Jabali Zone I	0.0	13.4	13.4		NS
		13.4	42.9	29.5		0.01
		42.9	45.9	3.0		1.21
		45.9	49.9	4.0		0.14
		49.9	58.9	9.0		1.30
		58.9	85.3	26.4		0.09
JB-20-508	Jabali Zone I	0.0	46.5	46.5	1.4	NS
		46.5	50.2	3.7		0.02
		50.2	52.4	2.2		1.29
		52.4	94.0	41.6		0.08
JB-20-511	Jabali Zone I	0.0	47.0	47.0		NS
		47.0	107.4	60.4		0.18
		107.4	108.4	1.0		3.39
		108.4	113.4	5.0		0.14
		113.4	131.4	18.0	11.5	6.00
	<i>Includes</i>	113.4	117.4	4.0		12.06
		117.4	122.4	5.0		1.48
		122.4	126.4	4.0		5.67
		126.4	127.4	1.0		15.20
		127.4	129.4	2.0		5.67
	129.4	131.4	2.0		1.54	
	131.4	142.9	11.5		0.11	
JB-20-512	Jabali Zone I	0.0	20.6	20.6	2.7	NS
		20.6	56.3	35.7		0.07
		56.3	61.3	5.0		0.21
		61.3	64.3	3.0		3.26
		64.3	69.3	5.0		0.46
		69.3	82.8	13.5		0.13
JB-20-515	Jabali Zone I	0.0	12.8	12.8	5.4	NS
		12.8	14.8	2.0		0.02
		14.8	47.9	33.1		NS
		47.9	93.0	45.1		0.09
		93.0	99.0	6.0		1.59
		99.0	104.5	5.6		0.04
JB-20-522	Jabali Zone I	0.0	46.3	46.3		NS
		46.3	272.0	225.7		0.06
JB-20-525	Jabali Zone I	0.0	29.8	29.8	6.9	NS
		29.8	32.8	3.0		0.01
		32.8	77.4	44.6		NS
		77.4	119.8	42.4		0.06
		119.8	130.1	10.3		1.77
		130.1	145.2	15.2		0.06
JB-20-527	Jabali Zone I	0.0	35.4	35.4		NS
		35.4	128.6	93.2		0.01
		128.6	132.4	3.8		0.53

Q4 2020 LA LIBERTAD INFILL DRILLING RESULTS							
Drill Hole ID	Vein Structure	From (m)	To (m)	Interval (m)	Estimated True Width (m)	Au (g/t)	
JB-20-528	Jabali Zone I	0.0	94.5	94.5		NS	
		94.5	141.2	46.7		0.03	
		141.2	143.2	2.1		0.94	
		143.2	146.8	3.6		0.14	
		146.8	148.9	2.2		0.89	
		148.9	152.0	3.1		0.07	
			152.0	166.0	14.0	8.5	1.39
	<i>Includes</i>		152.0	156.0	4.0		1.01
			156.0	157.0	1.0		3.79
			157.0	159.0	2.0		0.18
			159.0	161.0	2.0		1.32
			161.0	164.0	3.0		0.57
			164.0	165.0	1.0		6.60
			165.0	166.0	1.0		0.35
			166.0	174.0	8.0		0.15
			174.0	180.1	6.1	3.7	1.62
		<i>Includes</i>		174.0	175.1	1.1	
	175.1		180.1	5.0		0.77	
	180.1		190.1	10.0		0.09	
	190.1		193.1	3.0		0.98	
	193.1		196.1	3.0		0.05	
	196.1		198.5	2.5		1.60	
	198.5	208.7	10.2		0.02		
JB-20-531	Jabali Zone I	0.0	159.9	159.9		NS	
		159.9	174.9	15.0		0.06	
		174.9	177.9	3.0		0.94	
		177.9	184.0	6.1		0.33	
		184.0	186.1	2.1	1.2	4.75	
		186.1	189.1	3.0		0.54	
		189.1	196.1	7.1		0.18	
		196.1	198.1	2.0		1.22	
198.1	202.1	4.0		0.06			
JB-20-533	Jabali Zone I	0.0	31.5	31.5		NS	
		31.5	40.5	9.0		0.01	
		40.5	92.2	51.7		NS	
		92.2	104.7	12.5		0.09	

Q4 2020 PAVON INFILL DRILLING RESULTS						
Drill Hole ID	Vein Structure	From (m)	To (m)	Interval (m)	Estimated True Width (m)	Au (g/t)
PVN-20-026	Pavon Norte	0.0	59.5	59.5		NS
		59.5	70.2	10.7		0.03
		70.2	76.3	6.1		NS
		76.3	82.1	5.9		0.03
		82.1	97.8	15.7		NS
		97.8	119.0	21.2		0.10
PVN-20-028	Pavon Norte	0.0	67.1	67.1		NS
		67.1	79.8	12.7		0.29
		79.8	90.8	11.0	10.8	1.48
		90.8	92.3	1.5		0.01

Q4 2020 PAVON INFILL DRILLING RESULTS						
Drill Hole ID	Vein Structure	From (m)	To (m)	Interval (m)	Estimated True Width (m)	Au (g/t)
PVN-20-029	Pavon Norte	0.0	26.3	26.3		NS
		26.3	29.3	3.0		0.07
		29.3	31.8	2.5	2.4	6.67
		31.8	35.8	4.0		0.29
		35.8	66.8	31.0		0.07
		66.8	82.3	15.5		0.25
		82.3	85.3	3.0	2.8	1.01
		85.3	87.3	2.0		0.22
		87.3	90.3	3.0	2.8	2.07
	90.3	91.8	1.5		0.25	
	91.8	136.8	45.0		0.04	
PVN-20-030	Pavon Norte	0.0	67.1	67.1		NS
		67.1	80.1	13.0		0.11
		80.1	84.6	4.5		0.55
		84.6	123.6	39.0		0.06
PVN-20-031	Pavon Norte	0.0	18.3	18.3		NS
		18.3	24.4	6.1		0.10
		24.4	33.6	9.2	8.5	2.62
	<i>Includes</i>	24.4	27.5	3.1		5.55
		27.5	30.5	3.1		0.21
		30.5	33.6	3.1		2.09
	33.6	92.1	58.5		0.08	
PVN-20-032	Pavon Norte	0.0	31.4	31.4		NS
		31.4	35.4	4.0	3.8	1.79
		35.4	51.9	16.5		NS
		51.9	54.9	3.0		0.13
		54.9	61.9	7.0	6.8	1.41
		61.9	65.9	4.0		0.33
		65.9	71.9	6.0	5.5	1.88
		71.9	85.9	14.0		0.27
		85.9	90.9	5.0	4.8	1.33
		90.9	98.4	7.5		0.17
	98.4	113.4	15.0		0.07	
	113.4	123.5	10.1		NS	
	123.5	126.5	3.0		0.03	
PVC-20-023	Pavon Central	0.0	4.6	4.6		NS
		4.6	13.7	9.2		0.05
		13.7	20.8	7.1		0.18
		20.8	29.0	8.2		NS
		29.0	32.0	3.1		0.08
		32.0	48.8	16.8		NS
		48.8	66.5	17.7		0.14
	66.5	84.8	18.3	17.5	4.81	
	<i>Includes</i>	66.5	69.5	3.0		2.55
		69.5	73.2	3.7		9.52
		73.2	77.8	4.6		7.93
		77.8	81.8	4.0		1.91
		81.8	84.8	3.0		0.38
		84.8	98.8	14.0		NS
	98.8	114.0	15.2		0.01	

Q4 2020 PAVON INFILL DRILLING RESULTS							
Drill Hole ID	Vein Structure	From (m)	To (m)	Interval (m)	Estimated True Width (m)	Au (g/t)	
PVC-20-024	Pavon Central	0.0	15.3	15.3	5.0	NS	
		15.3	18.3	3.0		0.01	
		18.3	23.9	5.7		NS	
		23.9	31.4	7.5		0.04	
		31.4	39.4	8.0		1.30	
		39.4	42.4	3.0		0.14	
		42.4	47.4	5.0		0.85	
47.4	95.5	48.1	0.04				
PVC-20-025	Pavon Central	0.0	9.4	9.4		NS	
		9.4	11.4	2.0		0.00	
		11.4	17.4	6.0		0.24	
		17.4	33.4	16.0		0.01	
		33.4	42.7	9.4		NS	
		42.7	62.7	20.0		0.03	
		62.7	67.7	5.0		0.17	
PVC-20-026	Pavon Central	0.0	15.3	15.3		NS	
		15.3	28.8	13.5		0.14	
		28.8	34.8	6.0		5.8	4.44
	<i>Includes</i>	28.8	30.8	2.0		2.88	
		30.8	31.8	1.0		0.45	
		31.8	34.8	3.0		6.82	
		34.8	42.8	8.0		0.26	
		42.8	47.8	5.0		0.03	
		47.8	54.5	6.8		NS	
		54.5	59.0	4.5		0.06	
59.0	74.5	15.5		NS			
74.5	79.0	4.5		0.03			
PVC-20-027	Pavon Central	0.0	41.0	41.0		NS	
		41.0	49.0	8.0		0.06	
		49.0	67.0	18.0		NS	
		67.0	74.0	7.0		0.19	
		74.0	83.0	9.0		0.53	
		83.0	93.0	10.0		9.5	2.33
		<i>Includes</i>	83.0	86.0		3.0	
	86.0	88.0	2.0		0.13		
	88.0	90.0	2.0		5.96		
	90.0	93.0	3.0		0.72		
93.0	124.0	31.0		0.04			
PVC-20-028	Pavon Central	0.0	42.0	42.0	2.6	NS	
		42.0	81.0	39.0		0.04	
		81.0	93.0	12.0		0.90	
		93.0	97.0	4.0		0.21	
		97.0	100.0	3.0		1.01	
		100.0	125.0	25.0		0.01	
PVC-20-029	Pavon Central	0.0	19.0	19.0	2.9	NS	
		19.0	51.5	32.5		0.13	
		51.5	54.5	3.0		1.08	
		54.5	88.0	33.5		0.03	

Q4 2020 EL LIMON DRILL HOLE COLLAR COORDINATES

Mine Site	Drill Hole ID	Vein Structure	UTM North (m)	UTM East (m)	Elevation (masl)	Total Depth (m)	Azimuth (degrees)	Dip (degrees)
Exploration & Resource Expansion								
El Limon	LIM-20-4510	Panteon	532877	1407490	58	198	230	-49
El Limon	LIM-20-4523	Veta Nueva	526171	1410093	43	261	188	-55
El Limon	LIM-20-4524	Veta Nueva	526188	1410058	51	243	188	-59
El Limon	LIM-20-4527	Veta Nueva	526194	1410100	44	296	187	-55
El Limon	LIM-20-4493	Atravesada	526655	1410284	61	266	151	-57
El Limon	LIM-20-4497	Atravesada	526691	1410308	66	255	149	-59
El Limon	LIM-20-4500	Atravesada	526776	1410406	112	275	129	-55
El Limon	LIM-20-4502	Atravesada	526728	1410346	86	258	127	-57
El Limon	LIM-20-4506	Atravesada	526629	1410325	63	319	150	-59
El Limon	LIM-20-4507	Atravesada	526771	1410323	95	210	127	-54
El Limon	LIM-20-4512	Atravesada	526758	1410348	97	256	127	-62
El Limon	LIM-20-4515	Atravesada	526707	1410296	68	230	150	-55
El Limon	LIM-20-4520	Atravesada	526741	1410339	88	268	153	-61
El Limon	LIM-20-4513	Veta Nueva	526169	1410091	43	265	189	-61
El Limon	LIM-20-4528	Veta Nueva	526178	1410160	42	324	177	-51
Infill								
El Limon	LIM-20-4487	Panteon	532715	1407664	56	336	228	-54
El Limon	LIM-20-4492	Panteon	532750	1407693	57	370	228	-52
El Limon	LIM-20-4501	Panteon	532669	1407687	57	285	231	-48
El Limon	LIM-20-4505	Panteon	532884	1407453	57	290	229	-53
El Limon	LIM-20-4511	Panteon	532813	1407536	59	130	228	-52
El Limon	LIM-20-4514	Panteon	532834	1407459	58	250	228	-58
El Limon	LIM-20-4517	Panteon	532777	1407548	58	170	229	-52
El Limon	LIM-20-4521	Panteon	532794	1407435	58	195	228	-52
El Limon	LIM-20-4522	Panteon	532844	1407430	59	231	228	-48
El Limon	LIM-20-4526	Panteon	532606	1407278	59	313	49	-56
El Limon	LIM-20-4530	Panteon	532601	1407365	61	257	45	-63
El Limon	LIM-20-4491	Limon Central	528897	1410504	171	304	210	-49
El Limon	LIM-20-4495	Limon Central	528788	1410517	172	249	208	-57
El Limon	LIM-20-4496	Limon Central	528836	1410511	169	275	208	-56
El Limon	LIM-20-4498	Limon Central	528950	1410475	168	317	208	-64
El Limon	LIM-20-4499	Limon Central	528982	1410442	151	297	208	-67
El Limon	LIM-20-4516	Limon Norte	528737	1410749	197	220	248	-66
El Limon	LIM-20-4519	Limon Norte	528748	1410735	193	220	248	-71
El Limon	LIM-20-4525	Limon Norte	528736	1410686	186	221	249	-77
El Limon	LIM-20-4531	Limon Norte	528754	1410658	182	220	247	-67
El Limon	LIM-20-4455	Tigra - Chaparral	528215	1411298	177	150	244	-58
El Limon	LIM-20-4503	Tigra - Chaparral	528706	1411116	212	311	247	-62
El Limon	LIM-20-4504	Tigra - Chaparral	528649	1411031	203	255	246	-69
El Limon	LIM-20-4508	Tigra - Chaparral	528654	1411212	203	327	246	-62
El Limon	LIM-20-4509	Tigra - Chaparral	528583	1411097	194	235	249	-45
El Limon	LIM-20-4529	Veta Nueva	526164	1410086	45	238	188	-50

*Note: UTM drill hole collar coordinates refer to UTM map datum WGS84 Zone 16 North

Q4 2020 LA LIBERTAD DRILL HOLE COLLAR COORDINATES

Mine Site	Drill Hole ID	Vein Structure	UTM North (m)	UTM East (m)	Elevation (masl)	Total Depth (m)	Azimuth (degrees)	Dip (degrees)
Exploration & Resource Expansion								
La Libertad	JB-20-516	Jabali Zone II	708340	1355819	312	271	304	-31
La Libertad	JB-20-517	Jabali Zone II	708143	1355774	335	176	21	-33
La Libertad	JB-20-520	Jabali Zone II	708136	1355773	336	312	313	-34
La Libertad	JB-20-524	Jabali Zone II	708136	1355788	336	111	343	-33
La Libertad	JB-20-526	Jabali Zone II	707993	1355739	344	203	308	-27
La Libertad	JB-20-530	Jabali Zone II	707996	1355741	343	142	343	-34
La Libertad	JB-20-513	Jabali Zone III	707580	1355957	544	334	180	-50
La Libertad	JB-20-519	Jabali Zone III	707610	1355980	541	351	180	-55
La Libertad	JB-20-523	Jabali Zone III	707670	1355945	544	320	180	-55
La Libertad	JB-20-505	Jabali Zone IV	707256	1355967	524	431	182	-54
La Libertad	JB-20-514	Jabali Zone IV	707357	1355993	521	497	176	-57
La Libertad	JB-20-518	Jabali Zone IV	707430	1356030	541	448	180	-55
La Libertad	JB-20-521	Jabali Zone IV	707460	1356005	547	408	180	-44
La Libertad	JB-20-529	Jabali Zone IV	707482	1355825	554	192	176	-50
La Libertad	JB-20-516	Jabali Zone II	708340	1355819	312	271	304	-31
La Libertad	JB-20-517	Jabali Zone II	708143	1355774	335	176	21	-33
La Libertad	JB-20-520	Jabali Zone II	708136	1355773	336	312	313	-34
La Libertad	JB-20-524	Jabali Zone II	708136	1355788	336	111	343	-33
La Libertad	JB-20-526	Jabali Zone II	707993	1355739	344	203	308	-27
La Libertad	JB-20-530	Jabali Zone II	707996	1355741	343	142	343	-34
La Libertad	ES-20-021	Escandalo	705420	1357653	570	248	180	-51
La Libertad	ES-20-022	Escandalo	705540	1357648	558	256	180	-50
La Libertad	ES-20-023	Escandalo	705361	1357747	580	337	180	-50
La Libertad	ES-20-024	Escandalo	705484	1357730	549	308	182	-50
La Libertad	ES-20-025	Escandalo	705587	1357731	527	296	176	-50
La Libertad	ES-20-026	Escandalo	705250	1357741	587	361	183	-50
La Libertad	ES-20-027	Escandalo	705704	1357557	570	195	188	-50
La Libertad	ES-20-028	Escandalo	705799	1357573	581	224	175	-50
La Libertad	CH-20-033A	Socorro	701106	1355748	590	365	149	-45
La Libertad	CH-20-034	Socorro	700953	1355622	553	331	151	-45
La Libertad	CH-20-035	Socorro	700679	1355487	589	372	149	-45
La Libertad	CH-20-036	Socorro	700581	1355442	602	375	150	-46
La Libertad	CH-20-037	Socorro	701185	1355799	575	347	149	-45
La Libertad	CH-20-038	Socorro	701276	1355822	554	289	149	-45
La Libertad	CH-20-039	Socorro	700510	1355369	581	431	149	-45
La Libertad	CH-20-040	Socorro	701399	1355824	546	362	180	-50
La Libertad	CH-20-041	Socorro	701452	1355881	552	371	180	-50
La Libertad	CH-20-042	Socorro	700436	1355310	588	335	146	-45
La Libertad	CH-20-044	Socorro	700302	1355211	581	280	149	-45
La Libertad	CH-20-043	Socorro	701437	1355798	555	312	180	-50
La Libertad	RS-20-061	Rosario	691550	1350083	563	370	157	-50
La Libertad	RS-20-062	Rosario	691507	1350062	562	360	157	-50
La Libertad	RS-20-063	Rosario	691461	1350031	547	331	157	-50
La Libertad	RS-20-064	Rosario	691374	1349994	546	358	157	-51
La Libertad	RS-20-065	Rosario	691569	1349997	546	376	157	-54
La Libertad	RS-20-066	Rosario	690935	1349727	519	315	157	-45
La Libertad	RS-20-067	Rosario	691017	1349766	533	352	157	-50
La Libertad	RS-20-061	Rosario	691550	1350083	563	370	157	-50
La Libertad	RS-20-062	Rosario	691507	1350062	562	360	157	-50
La Libertad	RS-20-063	Rosario	691461	1350031	547	331	157	-50
La Libertad	RS-20-064	Rosario	691374	1349994	546	358	157	-51
La Libertad	RS-20-065	Rosario	691569	1349997	546	376	157	-54

Q4 2020 LA LIBERTAD DRILL HOLE COLLAR COORDINATES								
Mine Site	Drill Hole ID	Vein Structure	UTM North (m)	UTM East (m)	Elevation (masl)	Total Depth (m)	Azimuth (degrees)	Dip (degrees)
La Libertad	RS-20-066	Rosario	690935	1349727	519	315	157	-45
La Libertad	RS-20-067	Rosario	691017	1349766	533	352	157	-50
La Libertad	CA-20-012	Carmen	706072	1356497	654	207	180	-50
La Libertad	CA-20-013	Carmen	706000	1356538	655	195	180	-50
La Libertad	CA-20-014	Carmen	706111	1356542	642	196	173	-50
La Libertad	CA-20-015	Carmen	706197	1356607	635	233	180	-50
La Libertad	CA-20-016	Carmen	706095	1356480	647	255	180	-60
La Libertad	CA-20-017	Carmen	705657	1356469	608	264	180	-45
La Libertad	CA-20-018	Carmen	705425	1356770	627	335	180	-46
La Libertad	SA-20-043	San Antonio	697221	1348995	479	200	344	-50
La Libertad	SA-20-044	San Antonio	697280	1349106	498	111	343	-45
La Libertad	SA-20-045	San Antonio	697354	1349033	507	210	343	-46
La Libertad	SA-20-046	San Antonio	697462	1349147	517	105	343	-45
La Libertad	SA-20-047	San Antonio	697180	1348899	481	282	344	-50
La Libertad	SA-20-048	San Antonio	696975	1348870	502	224	343	-50
La Libertad	SA-20-049	San Antonio	696843	1348891	510	186	343	-46
La Libertad	SA-20-050	San Antonio	696672	1348835	499	215	345	-45
La Libertad	SA-20-051	San Antonio	696574	1348848	494	160	343	-45
La Libertad	SA-20-052	San Antonio	696457	1348821	479	149	343	-45
Infill								
La Libertad	JB-20-503	Jabali Zone I	708552	1355755	355	100	343	24
La Libertad	JB-20-508	Jabali Zone I	708516	1355813	337	100	40	-27
La Libertad	JB-20-511	Jabali Zone I	708345	1355818	312	159	352	-35
La Libertad	JB-20-522	Jabali Zone I	708436	1355807	293	289	51	-34
La Libertad	JB-20-525	Jabali Zone I	708435	1355807	293	176	10	-31
La Libertad	JB-20-527	Jabali Zone I	708436	1355806	293	132	48	-24
La Libertad	JB-20-528	Jabali Zone I	708441	1355808	293	209	330	-33
La Libertad	JB-20-531	Jabali Zone I	708548	1355733	336	226	11	-31
La Libertad	JB-20-533	Jabali Zone I	708439	1355807	293	108	338	-27
La Libertad	JB-20-504	Jabali Zone I	708356	1355804	384	97	42	-2
La Libertad	JB-20-512	Jabali Zone I	708351	1355812	385	96	316	2
La Libertad	JB-20-515	Jabali Zone I	708352	1355804	384	128	300	4
La Libertad	JB-20-503	Jabali Zone I	708552	1355755	355	100	343	24

*Note: UTM drill hole collar coordinates refer to UTM map datum WGS84 Zone 16 North

Q4 2020 PAVON DRILL HOLE COLLAR COORDINATES								
Mine Site	Drill Hole ID	Vein Structure	UTM North (m)	UTM East (m)	Elevation (masl)	Total Depth (m)	Azimuth (degrees)	Dip (degrees)
Exploration & Resource Expansion								
Pavon	PVN-20-027	Pavon North	665996	1469848	592	133	70	-45
Pavon	PVN-20-031	Pavon North	666150	1469500	565	96	70	-45
Pavon	PVN-20-031	Pavon North	666150	1469500	565	96	70	-45
Pavon	PVN-20-033	Pavon North	666048	1470037	544	159	250	-45
Pavon	PVN-20-034	Pavon North	665932	1469988	557	160	50	-46
Pavon	PVN-20-035	Pavon North	665924	1470036	522	163	67	-45
Infill								
Pavon	PVN-20-026	Pavon North	665966	1469901	585	137	70	-45
Pavon	PVN-20-028	Pavon North	666044	1469727	592	119	70	-45
Pavon	PVN-20-029	Pavon North	666052	1469666	584	137	70	-45
Pavon	PVN-20-030	Pavon North	666080	1469602	576	130	70	-45
Pavon	PVN-20-032	Pavon North	666205	1469574	583	131	250	-45
Pavon	PVC-20-023	Pavon Central	665745	1467400	483	17	264	-51

Q4 2020 PAVON DRILL HOLE COLLAR COORDINATES								
Mine Site	Drill Hole ID	Vein Structure	UTM North (m)	UTM East (m)	Elevation (masl)	Total Depth (m)	Azimuth (degrees)	Dip (degrees)
Pavon	PVC-20-024	Pavon Central	665707	1467474	470	101	272	-48
Pavon	PVC-20-025	Pavon Central	665675	1467502	477	78	242	-50
Pavon	PVC-20-026	Pavon Central	665735	1467121	423	107	80	-45
Pavon	PVC-20-027	Pavon Central	665748	1466983	469	133	80	-62
Pavon	PVC-20-028	Pavon Central	665735	1467023	475	131	80	-58
Pavon	PVC-20-029	Pavon Central	665736	1467070	446	88	80	-45

*Note: UTM drill hole collar coordinates refer to UTM map datum WGS84 Zone 16 North

Quality Assurance/Quality Control

Calibre maintains a Quality Assurance/Quality Control (“QA/QC”) program for all its exploration projects using industry best practices. Key elements of the QA/QC program include verifiable chain of custody for samples, regular insertion of certified reference standards and blanks, and duplicate check assays. Drill core is halved and shipped in sealed bags to Bureau Veritas in Managua, Nicaragua, an independent analytical services provider with global certifications for Quality Management Systems ISO 9001:2008, Environmental Management: ISO14001 and Safety Management OH SAS 18001 and AS4801. Prior to analysis, samples are prepared at Veritas' Managua facility and then shipped to its analytical facility in Vancouver, Canada. Gold analyses are routinely performed via fire assay/AA finish methods. For greater precision of high-grade material, samples assaying 10 g/t Au or higher are re-assayed by fire assay with gravimetric finish. Analyses for silver and other elements of interest are performed via Induction Coupled Plasmaspectrometry (“ICP”).

Qualified Person

The scientific and technical data contained in this news release has been reviewed and approved by Mark A. Petersen, P.Geo., VP Exploration, and a Qualified Person as defined by NI 43-101.