

**CALIBRE ANNOUNCES SIGNIFICANT HIGH-GRADE MINERALIZATION AT LIMON WHICH IS EXPECTED TO HAVE A POSITIVE IMPACT ON ITS MINERAL RESOURCES**

**Calibre Mining News Release, November 18, 2024 - Drill Hole Table**

\*See notes at the bottom of the table

Drill Hole ID	Vein Structure	From (m)	To (m)	Interval (m)	ETW (m)	Au (g/t)
LIM-24-4883		0.0	30.5	30.5		NS
		30.5	45.2	14.7		0.03
		45.2	99.1	53.9		NS
		99.1	133.8	34.7		0.03
		133.8	179.1	45.4		NS
		179.1	222.2	43.1		0.05
		222.2	223.1	0.9	0.8	1.72
		223.1	226.1	3.1		0.11
		226.1	261.0	34.9		NS
		261.0	262.3	1.3		0.02
		<b>262.3</b>	<b>264.1</b>	<b>1.8</b>	<b>1.02</b>	<b>5.16</b>
	<i>Including</i>	263.0	264.1	1.1	0.99	7.75
		264.1	308.0	43.9		0.02
		308.0	351.6	43.6		NS
		351.6	367.7	16.1		0.01
		367.7	391.7	24.1		NS
		391.7	401.9	10.2		0.02
	401.9	417.0	15.2		NS	
	417.0	420.8	3.8		0.08	
	420.8	421.6	0.8	0.8	1.60	
	421.6	442.6	21.0		0.03	
LIM-24-4885		0.0	54.3	54.3		0.01
		54.3	56.4	2.1		0.41
		56.4	61.0	4.7		0.05
		<b>61.0</b>	<b>82.1</b>	<b>21.1</b>	<b>20.6</b>	<b>2.22</b>
	<i>Including</i>	70.4	77.5	7.1	6.91	4.22
		82.1	87.4	5.4		0.14
		<b>87.4</b>	<b>107.6</b>	<b>20.2</b>	<b>19.8</b>	<b>2.84</b>
	<i>Including</i>	97.3	102.3	5.1	4.95	5.88
		107.6	117.9	10.3		0.05
		117.9	120.6	2.8	1.2	1.04
		120.6	123.2	2.6		0.04
		123.2	129.1	5.9	5.7	0.69
		129.1	135.4	6.4		0.16
		135.4	185.4	50.0		NS
		<b>185.4</b>	<b>197.8</b>	<b>12.5</b>	<b>5.5</b>	<b>3.02</b>
	<i>Including</i>	188.4	191.3	2.9	1.25	8.62

		197.8	217.8	20.0		0.10
		217.8	232.6	14.8		NS
		232.6	235.7	3.2		0.17
		235.7	236.8	1.1	1.0	0.47
		236.8	241.6	4.9		0.04
LIM-24-4886		0.0	46.9	46.9		NS
		46.9	96.9	50.0		0.01
		96.9	99.3	2.4	1.81	0.70
		99.3	104.3	5.0		0.09
		104.3	117.4	13.1		NS
		117.4	119.8	2.5		0.08
		119.8	122.5	2.7	2.24	0.35
		122.5	132.0	9.6		0.08
		132.0	157.7	25.7		NS
		157.7	182.0	24.3		0.05
		182.0	200.4	18.4		NS
		<b>200.4</b>	<b>202.6</b>	<b>2.2</b>	<b>1.26</b>	<b>8.41</b>
	<i>Including</i>	201.5	202.6	1.1	0.64	15.98
		202.6	209.7	7.1		0.11
		<b>209.7</b>	<b>212.8</b>	<b>3.1</b>	<b>1.37</b>	<b>3.05</b>
	<i>Including</i>	209.7	210.8	1.2	0.54	7.70
		212.8	220.6	7.9		0.18
		220.6	242.0	21.4		NS
		242.0	249.7	7.7		0.03
		249.7	326.1	76.4		NS
		326.1	332.9	6.8		0.01
		332.9	361.6	28.7		NS
		361.6	367.2	5.6		0.04
		367.2	448.1	80.9		NS
		448.1	481.3	33.2		0.02
LIM-24-4887		0.0	97.8	97.8		NS
		97.8	100.7	2.9		0.04
		100.7	206.5	105.8		NS
		206.5	208.2	1.7	0.77	1.24
		208.2	228.4	20.2		0.01
		228.4	229.2	0.8	0.37	0.44
		229.2	232.0	2.9		0.08
		232.0	257.8	25.8		NS
		257.8	261.9	4.1		0.01
		261.9	339.7	77.8		NS
		339.7	380.3	40.6		0.01
		<b>380.3</b>	<b>384.9</b>	<b>4.6</b>	<b>2.7</b>	<b>1.62</b>
	<i>Including</i>	381.3	383.2	2.0	1.18	2.97
		384.9	387.4	2.5		0.08

		387.4	388.5	1.1	0.64	0.53
		388.5	390.9	2.4	1.41	0.25
		390.9	391.4	0.5	0.29	0.65
		391.4	400.7	9.3		0.07
LIM-24-4889		0.0	21.1	21.1		NS
		21.1	32.9	11.8		0.04
		32.9	34.4	1.5	0.42	2.07
		34.4	36.0	1.6	0.45	0.16
		36.0	38.3	2.3	0.64	0.75
		38.3	55.5	17.3		0.03
		55.5	82.4	26.9		NS
		82.4	85.4	3.0	2.94	0.20
		85.4	89.1	3.7	3.36	0.47
		89.1	95.0	6.0		0.01
		95.0	96.0	1.0	0.98	0.41
		96.0	102.7	6.7		0.05
		102.7	156.0	53.4		NS
		156.0	164.0	8.0	7.84	0.18
		164.0	252.7	88.7		NS
		252.7	253.3	0.6	0.59	0.36
		253.3	257.1	3.9		0.07
		257.1	258.5	1.4	1.37	0.55
		258.5	259.4	0.9		0.05
		259.4	386.0	126.6		NS
		386	421.9	35.9		0.04
LIM-24-4888		0.0	35.9	35.9		NS
		35.9	50.5	14.6		0.09
		50.5	52.7	2.2	1.2	0.60
		52.7	56.0	3.4		0.09
		56.0	57.4	1.4	0.7	0.47
		57.4	58.1	0.7		0.20
		58.1	72.4	14.4		NS
		72.4	79.5	7.1		0.07
		79.5	80.7	1.2	0.6	1.50
	<i>Including</i>	79.5	82.2	2.7	1.4	0.87
		82.2	93.6	11.4		0.03
		93.6	94.5	0.9	0.5	1.46
		94.5	106.5	12.1		0.06
		106.5	107.3	0.8	0.4	0.66
		107.3	109.2	1.9		0.09
		109.2	110.0	0.9	0.4	0.66
		110.0	112.3	2.3		0.11
		112.3	168.8	56.5		NS
		168.8	178.2	9.4		0.04

		178.2	226.0	47.8		NS
		226.0	227.3	1.3		0.04
		227.3	227.7	0.5	0.3	0.68
		227.7	242.5	14.8		0.02
		242.5	244.2	1.8	0.9	0.52
		244.2	245.3	1.1		0.02
		245.3	282.8	37.5		NS
		282.8	284.9	2.1		0.05
		284.9	305.0	20.2		NS
		305.0	316.2	11.2		0.04
		316.2	317.4	1.2	0.6	0.43
		317.4	333.8	16.4		0.04
		333.8	392.0	58.3		NS
		392.0	397.5	5.5		0.06
		397.5	432.0	34.6		NS
		432.0	441.6	9.6		0.02
		441.6	442.8	1.2	1.1	0.58
		442.8	448.9	6.1		0.02
		448.9	449.7	0.8	0.8	0.84
		449.7	551.5	101.8		0.04
		551.5	552.8	1.4	0.6	0.54
		552.8	558.4	5.6		0.05
LIM-24-4892		0.0	93.0	93.0		NS
		93.0	99.5	6.5		0.03
		99.5	100.0	0.5	0.5	3.76
		100.0	101.9	1.9		0.04
		101.9	116.0	14.2		NS
		116.0	117.1	1.1		0.01
		117.1	117.7	0.6	0.5	0.84
		117.7	125.0	7.4		0.01
		125.0	146.0	21.0		NS
		146.0	168.8	22.8		0.01
		168.8	267.5	98.8		NS
		267.5	268.5	1.0		0.01
		268.5	269.5	1.0	0.9	2.29
		269.5	284.4	14.9		0.01
		284.4	304.2	19.8		NS
		304.2	306.6	2.4		0.11
		306.6	307.2	0.7	0.7	0.61
		307.2	381.2	74.0		0.03
		381.2	383.4	2.2	2.1	0.80
		383.4	401.3	17.9		0.04
		401.3	403.6	2.3	2.2	1.00
		403.6	406.0	2.4		0.05

LIM-24-4893		0.0	63.0	63.0		NS
		63.0	65.6	2.6		0.01
		65.6	66.2	0.6	0.35	1.42
		66.2	71.4	5.2		0.04
		71.4	89.0	17.7		NS
		89.0	103.4	14.4		0.03
		103.4	106.6	3.3	2.41	0.82
		106.6	114.8	8.2		0.09
		114.8	115.8	1.1	0.80	1.48
		115.8	117.7	1.9		0.05
		<b>117.7</b>	<b>120.2</b>	<b>2.5</b>	<b>2.36</b>	<b>8.59</b>
	120.2	146.1	25.9		0.04	
LIM-24-4894		0.0	173.1	173.1		NS
		173.1	174.6	1.5		0.00
		<b>174.6</b>	<b>177.9</b>	<b>3.3</b>	<b>3.13</b>	<b>4.01</b>
	<i>Including</i>	174.6	176.1	1.5	1.42	8.46
	177.9	188.5	10.6		0.03	
LIM-24-4896		0.0	48.3	48.3		NS
		48.3	50.1	1.8		0.03
		50.1	113.9	63.8		NS
		113.9	127.8	13.9		0.03
		127.8	128.4	0.7	0.58	0.78
		128.4	130.0	1.6		0.01
		130.0	327.0	197.0		NS
		327.0	335.4	8.4		0.01
		335.4	336.0	0.6	0.55	0.40
		336.0	353.9	17.9		0.04
		353.9	356.7	2.8	2.58	0.75
		356.7	362.6	5.9		0.05
		362.6	364.2	1.6	1.47	0.39
		364.2	366.1	1.9		0.06
		366.1	366.6	0.5	0.45	0.35
	366.6	375.0	8.4		0.05	
	375.0	391.7	16.7		NS	
	391.7	394.3	2.7		0.01	
LIM-24-4909		0.00	89.50	89.5		NS
		89.50	104.60	15.1		0.01
		104.60	141.00	36.4		NS
		141.00	170.30	29.3		0.01
		170.30	171.50	1.2	1.2	0.38
		171.50	182.90	11.4		0.07
		182.90	184.10	1.2	1.2	2.45
		184.10	187.00	2.9		0.13
		187.00	188.00	1.0	1.0	0.74

		188.00	191.15	3.2		0.23
		191.15	199.85	8.7	8.6	0.89
		199.85	206.95	7.1		0.06
LIM-24-4911		0.0	218.6	218.6		NS
		218.6	295.5	76.9		0.01
		295.5	295.9	0.4	0.38	0.76
		295.9	302.4	6.6		0.01
		302.4	303.0	0.6	0.53	0.83
		303.0	305.4	2.5		0.02
		305.4	306.0	0.6	0.53	0.51
		306.0	352.5	46.6		0.05
LIM-24-4921		0	100.6	100.6		NS
		100.6	114.75	14.15		0.04
		114.75	115.55	0.8	0.39	0.55
		115.55	143.3	27.75		0.09
		143.3	144	0.7	0.48	0.38
		144	186	42		0.01
		186	202.45	16.45		NS
		202.45	225.65	23.2		0.01
LIM-24-4926		0.0	63.7	63.7		0.05
		63.7	69.0	5.3	0.51	0.56
		69.0	73.8	4.8		0.19
		73.8	82.3	8.5	0.83	0.38
		82.3	91.3	9.0		0.10
		91.3	93.4	2.1	0.59	0.32
		93.4	120.2	26.8		0.02
		120.2	156.5	36.3		NS
		156.5	157.8	1.4		0.03
		157.8	159.1	1.3	0.46	0.46
		159.1	161.7	2.6		0.12
		161.7	162.9	1.2	0.44	18.40
		162.9	182.0	19.2		0.05
		182.0	200.3	18.3		NS
		200.3	218.8	18.6		0.04
LIM-24-4954		0.0	30.6	30.6		NS
		30.6	127.0	96.4		0.02
		127.0	152.0	25.0		NS
		152.0	194.4	42.4		0.02
		194.4	195.8	1.5	1.0	0.36
		195.8	224.7	28.9		0.01
		224.7	225.7	1.0	0.3	0.35
		225.7	250.1	24.4		0.03
		250.1	251.4	1.4	1.0	0.31
		251.4	255.9	4.5	3.3	1.55

		255.9	257.8	1.9		0.19
		<b>257.8</b>	<b>259.5</b>	<b>1.8</b>	<b>1.3</b>	<b>4.40</b>
	<i>Including</i>	258.4	259.5	1.2	0.9	6.23
		259.5	260.8	1.3		0.07
		260.8	267.9	7.2	5.4	0.67
		267.9	286.2	18.3		0.06
		286.2	287.3	1.1	0.8	0.40
		287.3	298.7	11.4		0.16
		298.7	300.3	1.6	0.5	0.53
		300.3	314.3	14.0		0.06
		314.3	315.5	1.3	0.9	0.42
		315.5	330.9	15.4		0.04
		330.9	366.0	35.1		NS
		366.0	465.5	99.6		0.02
LIM-24-4940		0.0	14.8	14.8		NS
		14.8	30.9	16.1		0.00
		30.9	61.2	30.4		NS
		61.2	152.4	91.2		0.00
		152.4	178.5	26.2		NS
		178.5	203.5	25.0		0.00
		<b>203.5</b>	<b>206.0</b>	<b>2.5</b>	<b>1.82</b>	<b>4.85</b>
	<i>Including</i>	204.2	205.3	1.1	0.81	6.90
		206.0	229.3	23.4		0.08
		<b>229.3</b>	<b>229.8</b>	<b>0.5</b>	<b>0.33</b>	<b>3.06</b>
		229.8	236.3	6.6		0.09
		236.3	273.1	36.8		NS
		273.1	274.4	1.4		0.02
		274.4	277.3	2.9	2.15	0.84
LIM-24-4955		0.0	96.9	96.9		NS
		96.9	122.0	25.1		0.00
		122.0	213.3	91.3		NS
		213.3	230.4	17.2		0.03
		<b>230.4</b>	<b>234.9</b>	<b>4.5</b>	<b>4.42</b>	<b>1.13</b>
	<i>Including</i>	233.7	234.9	1.3	1.28	2.42
		234.9	240.1	5.2		0.11
LIM-24-4942		0.0	15.2	15.2		NS
		15.2	119.5	104.3		0.01
		119.5	120.4	0.9	0.78	0.41
		120.4	136.1	15.8		0.01
		136.1	193.9	57.8		NS
		193.9	196.6	2.8	2.39	0.42
		196.6	202.4	5.8		0.12
		202.4	213.2	10.8	9.19	0.26
		213.2	297.5	84.4		0.03

LIM-24-4944		0.0	15.9	15.9		NS
		15.9	34.3	18.4		0.05
		34.3	35.5	1.3	0.2	0.41
		35.5	38.0	2.5		0.03
		38.0	38.9	1.0	0.29	0.76
		38.9	42.7	3.8		0.05
		42.7	45.4	2.8	0.79	0.33
		45.4	80.4	35.0		NS
		80.4	86.4	6.0		0.11
		86.4	90.6	4.3	1.37	0.38
		90.6	102.0	11.4		0.08
		<b>102.0</b>	<b>107.1</b>	<b>5.2</b>	<b>1.59</b>	<b>4.11</b>
	<i>Including</i>	<i>102.0</i>	<i>103.1</i>	<i>1.1</i>	<i>0.33</i>	<i>8.79</i>
		107.1	113.0	5.9		0.07
		113.0	266.9	153.9		NS
		266.9	280.1	13.3		0.24
		280.1	282.1	2.0	1.72	1.14
		282.1	283.8	1.7		0.27
		<b>283.8</b>	<b>287.4</b>	<b>3.6</b>	<b>3.1</b>	<b>2.77</b>
	<i>Including</i>	<i>285.2</i>	<i>286.2</i>	<i>1.0</i>	<i>0.86</i>	<i>4.59</i>
	287.4	294.0	6.6		0.06	
	294.0	295.4	1.4	0.62	0.64	
	295.4	297.7	2.3		0.19	
	297.7	299.6	1.9	1.76	0.39	
	299.6	303.2	3.6		0.03	
	303.2	304.2	1.0	0.86	1.00	
	304.2	318.7	14.5		NS	
	318.7	360.6	42.0		0.01	
	360.6	389.7	29.1		NS	
	389.7	399.3	9.6		0.01	
LIM-24-4952		0.0	43.3	43.3		NS
		43.3	63.9	20.7		0.01
		63.9	64.4	0.5		0.36
		64.4	214.2	149.8		NS
		214.2	232.9	18.7		0.02
		232.9	234.5	1.7	1.16	0.67
		234.5	246.7	12.2		0.01
		246.7	279.2	32.5		NS
		279.2	280.9	1.7		0.06
		280.9	281.5	0.7	0.63	2.38
		281.5	313.8	32.3		0.03
		313.8	314.8	1.0	0.97	1.05
		314.8	342.9	28.1		0.08
		342.9	343.4	0.5	0.48	1.04



		343.4	347.4	4.0		0.01
LIM-24-4961		0.0	144.2	144.2		NS
		144.2	153.2	9.0		0.01
		153.2	221.6	68.5		NS
		221.6	223.5	1.9		0.17
		223.5	273.5	50.0		NS
		273.5	274.5	1.0		0.01
		274.5	276.4	1.9	1.8	2.18
		276.4	277.1	0.7		0.01
		277.1	298.0	20.9		NS
		298.0	321.3	23.4		0.05
		321.3	322.1	0.8	0.71	0.91
		322.1	346.0	24.0		0.09
		346.0	347.3	1.3	1.23	1.61
		347.3	353.4	6.1		0.12
LIM-24-4963		0.0	28.8	28.8		NS
		28.8	60.2	31.4		0.01
		<b>60.2</b>	<b>70.5</b>	<b>10.4</b>	<b>9.97</b>	<b>1.52</b>
	<i>Including</i>	67.1	68.8	1.7	1.62	3.38
		70.5	72.4	1.9		0.07
		72.4	117.0	44.6		NS
		117.0	120.3	3.3		0.08
		120.3	121.7	1.4	1.34	0.75
	121.7	125.1	3.5		0.05	
LIM-24-4948		0.0	57.5	57.5		NS
		57.5	142.3	84.8		0.00
		142.3	168.1	25.9		NS
		168.1	172.6	4.5		0.01
		172.6	212.0	39.4		NS
		212.0	245.0	33.0		0.01
		245.0	246.1	1.1	1.08	0.69
		246.1	255.7	9.6		0.06
		<b>255.7</b>	<b>257.2</b>	<b>1.6</b>	<b>1.57</b>	<b>1.81</b>
		257.2	270.3	13.1		0.06
		270.3	277.5	7.2	7.06	0.76
	277.5	286.2	8.7		0.02	
LIM-24-4949		0.0	58.9	58.9		NS
		58.9	92.5	33.6		0.00
		92.5	166.5	74.0		NS
		166.5	182.7	16.2		0.01
		182.7	289.1	106.5		NS
		289.1	313.2	24.1		0.05
		<b>313.2</b>	<b>316.5</b>	<b>3.4</b>	<b>2.37</b>	<b>3.03</b>
	<i>Including</i>	314.0	315.2	1.2	0.85	4.85

		316.5	320.8	4.3		0.06	
LIM-24-4956		0.0	20.1	20.1		NS	
		20.1	23.1	3.0		0.06	
		23.1	25.0	1.9	1.12	3.05	
		25.0	30.0	5.0		0.05	
		30.0	53.4	23.4		NS	
		53.4	54.0	0.7	0.38	1.91	
		54.0	66.5	12.5		0.02	
		66.5	67.0	0.5	0.28	0.43	
		67.0	72.9	5.9		0.02	
		72.9	92.1	19.3		NS	
		92.1	102.8	10.7		0.04	
		102.8	125.3	22.5		NS	
		125.3	127.2	1.9	1.12	0.23	
		127.2	147.9	20.7		0.04	
		147.9	148.4	0.5	0.28	0.51	
		148.4	161.7	13.3		0.02	
		161.7	162.2	0.6	0.31	1.15	
		162.2	170.8	8.6		0.02	
		170.8	171.7	0.9	0.52	8.20	
		171.7	201.3	29.6		0.02	
		201.3	220.9	19.6		NS	
		220.9	240.7	19.8		0.02	
		240.7	241.4	0.7	0.4	3.06	
		241.4	245.7	4.3		0.04	
		245.7	246.7	1.0	0.57	0.68	
		246.7	290.8	44.2		0.02	
			<b>290.8</b>	<b>303.6</b>	<b>12.8</b>	<b>7.52</b>	<b>14.64</b>
	<i>Including</i>	293.0	298.5	5.5	3.22	31.88	
		303.6	315.7	12.1		0.01	
LIM-24-4957		0.0	76.8	76.8		NS	
		76.8	77.8	1.0		0.01	
		77.8	79.5	1.8	1.74	0.89	
		79.5	97.4	17.9		0.01	
		<b>97.4</b>	<b>107.5</b>	<b>10.1</b>	<b>10</b>	<b>6.55</b>	
		<i>Including</i>	98.9	104.1	5.2	5.15	11.84
			107.5	114.5	7.1		0.17
		114.5	115.5	1.0	0.98	0.41	
		115.5	122.2	6.7		0.11	
LIM-24-4960		0.0	71.2	71.2		NS	
		71.2	73.6	2.5		0.08	
		<b>73.6</b>	<b>114.8</b>	<b>41.2</b>	<b>37.04</b>	<b>14.22</b>	
		<i>Including</i>	73.6	81.0	7.4	6.62	66.14
		95.0	100.6	5.6	5	9.48	

		114.8	118.7	4.0		0.07
		118.7	119.3	0.6	0.53	3.42
		119.3	125.3	6.0		0.03
LIM-24-4965		0.0	12.0	12.0		NS
		12.0	165.0	153.1		0.01
		165.0	188.3	23.3		NS
		188.3	206.6	18.3		0.02
		206.6	210.2	3.6	2.01	0.55
		210.2	226.9	16.7		NS
		226.9	235.0	8.1		0.10
		235.0	239.2	4.2		0.16
		239.2	239.9	0.7	0.36	1.50
		239.9	266.4	26.6		0.08
		266.4	267.5	1.1	0.61	2.90
		267.5	272.2	4.7		0.15
		272.2	273.2	1.0	0.55	0.78
		273.2	302.5	29.3		0.06
		302.5	304.0	1.5	0.84	0.56
		304.0	359.8	55.9		0.07
		<b>359.8</b>	<b>368.5</b>	<b>8.7</b>	<b>4.87</b>	<b>1.36</b>
	<i>Including</i>	359.8	360.8	1.0	0.56	7.60
		368.5	385.0	16.6		0.04
		385.0	405.0	20.0		NS
		405.0	407.7	2.7		0.08
		407.7	414.1	6.4	3.57	1.34
		414.1	417.2	3.2		0.09
		417.2	417.8	0.6	0.33	3.59
		417.8	419.3	1.5		0.01
		419.3	420.0	0.7	0.38	1.04
		420.0	427.0	7.1		0.06
		427.0	428.4	1.4	0.75	0.98
		428.4	446.9	18.6		0.10
		446.9	447.4	0.5	0.27	4.72
		447.4	450.3	2.9		0.09
		450.3	450.9	0.6	0.33	0.85
		450.9	473.1	22.2		0.07
		<b>473.1</b>	<b>475.9</b>	<b>2.9</b>	<b>1.55</b>	<b>2.15</b>
	<i>Including</i>	474.8	475.9	1.1	0.53	3.10
		475.9	489.0	13.1		0.02
LIM-24-4974		0.0	30.2	30.2		NS
		30.2	99.7	69.5		0.01
		99.7	113.1	13.4		NS
		113.1	127.0	13.9		0.04
		127.0	129.1	2.1	0.62	0.55

		129.1	131.8	2.7		0.01
		131.8	179.5	47.7		NS
		179.5	203.9	24.4		0.06
		203.9	231.5	27.6		NS
		231.5	232.0	0.5	0.31	0.79
		232.0	245.1	13.1		0.03
		245.1	289.3	44.2		NS
		289.3	310.9	21.6		0.04
		310.9	313.1	2.2	1.39	1.43
		313.1	336.4	23.3		0.04
		336.4	337.3	1.0	0.6	0.78
		337.3	345.6	8.3		0.04
LIM-24-4950		0.0	48.4	48.4		NS
		48.4	61.0	12.6		0.02
		61.0	77.8	16.8		NS
		77.8	92.0	14.2		0.01
		92.0	93.3	1.3	0.4	0.53
		93.3	102.2	8.9		0.01
		102.2	122.0	19.9		NS
		122.0	123.1	1.1		0.01
		123.1	124.0	0.9	0.3	0.40
		124.0	186.0	62.0		0.01
		186.0	254.1	68.1		NS
		254.1	285.6	31.6		0.03
		<b>285.6</b>	<b>300.1</b>	<b>14.5</b>	<b>5.06</b>	<b>4.58</b>
	<i>Including</i>	288.4	290.1	1.7	0.58	12.40
		297.8	300.1	2.3	0.79	17.71
		300.1	303.5	3.4		0.17
		303.5	305.0	1.5	0.5	1.71
		305.0	327.8	22.9		0.06
		327.8	344.6	16.8		NS
		344.6	359.9	15.3		0.01
LIM-24-4951		0.0	87.5	87.5		NS
		87.5	110.7	23.2		0.00
		<b>110.7</b>	<b>120.6</b>	<b>9.9</b>	<b>9.31</b>	<b>6.78</b>
	<i>Including</i>	114.4	117.2	2.8	5.59	17.32
		120.6	123.5	2.9		0.03
		123.5	144.5	21.0		NS
		144.5	167.1	22.6		0.02
		167.1	168.4	1.4	1.3	0.41
		168.4	173.4	5.0		0.02
LIM-24-4964		0.0	37.0	37.0		NS
		37.0	51.0	14.0		0.00
		51.0	65.0	14.0		NS

		65.0	76.3	11.3		0.01
		76.3	88.8	12.5		NS
		88.8	89.8	1.0		0.00
		89.8	90.7	1.0	0.2	0.49
		90.7	96.5	5.8		0.05
		96.5	162.0	65.5		NS
		162.0	167.2	5.2		0.01
		167.2	224.7	57.5		NS
		224.7	243.3	18.6		0.01
		243.3	283.7	40.4		NS
		283.7	292.0	8.3		0.03
		292.0	293.0	1.0	0.2	0.68
		293.0	300.6	7.6		0.12
		300.6	301.8	1.2	0.3	1.07
		301.8	315.0	13.2		0.19
		<b>315.0</b>	<b>317.9</b>	<b>3.0</b>	<b>0.68</b>	<b>22.90</b>
	<i>Including</i>	315.9	317.9	2.0	0.46	33.50
		317.9	325.6	7.7		0.11
		325.6	347.7	22.1		NS
		347.7	350.95	3.25		0.05
LIM-24-4969		0.0	55.5	55.5		0.01
		<b>55.5</b>	<b>76.0</b>	<b>20.5</b>	<b>19.86</b>	<b>12.96</b>
	<i>Includes</i>	55.5	58.3	2.8	2.69	22.39
		61.3	65.6	4.3	4.14	31.49
		66.3	71.5	5.2	5.01	11.93
		76.0	79.1	3.1		0.06
		<b>79.1</b>	<b>122.8</b>	<b>43.8</b>	<b>13.52</b>	<b>10.59</b>
	<i>Includes</i>	95.2	97.9	2.7	0.78	52.87
		100.6	103.1	2.5	0.72	81.01
		111.6	118.0	6.4	1.92	10.97
		122.8	130.9	8.1		0.09
		130.9	133.3	2.4	0.34	1.44
		133.3	150.2	17.0		0.09
		<b>150.2</b>	<b>159.1</b>	<b>8.9</b>	<b>3.28</b>	<b>3.25</b>
	<i>Including</i>	151.9	153.0	1.2	0.43	10.50
		154.2	156.3	2.1	0.77	5.48
		159.1	166.0	6.9		0.07
		<b>166.0</b>	<b>173.5</b>	<b>7.5</b>	<b>6.85</b>	<b>9.97</b>
	<i>Including</i>	167.9	172.1	4.2	3.84	16.97
		173.5	201.4	28.0		0.11
		201.4	203.1	1.7	1.57	0.81
		203.1	205.1	2.0		0.09
		205.1	209.0	4.0	3.66	1.06
		209.0	240.7	31.7		0.05

LIM-24-4968	<i>Including</i>	0.0	22.5	22.5		NS
		22.5	45.7	23.2		0.00
		<b>45.7</b>	<b>50.1</b>	<b>4.4</b>	<b>4.04</b>	<b>5.22</b>
		45.7	47.3	1.7	1.51	12.36
		50.1	54.5	4.4		0.09
		54.5	58.1	3.7	3.36	2.88
		58.1	63.2	5.1		0.07
LIM-24-4970	<i>Including</i>	0.0	47.8	47.8		NS
		47.8	82.6	34.8		0.01
		<b>82.6</b>	<b>87.6</b>	<b>5.0</b>	<b>4.98</b>	<b>4.05</b>
		85.2	87.6	2.5	2.43	5.17
		87.6	99.5	11.9		0.02
		99.5	100.5	1.1	1.03	0.48
		100.5	106.9	6.4		0.05
		106.9	152.2	45.3		NS
		152.2	155.4	3.2		0.03
	155.4	156.1	0.7	0.68	2.13	
		156.1	172.3	16.3		0.04
LIM-24-4971	<i>Including</i>	0.0	306.5	306.5		NS
		306.5	309.1	2.7		0.01
		<b>309.1</b>	<b>317.2</b>	<b>8.1</b>	<b>3.56</b>	<b>5.67</b>
		309.9	314.6	4.8	2.11	8.96
		317.2	324.1	6.9		0.03
LIM-24-4976	<i>Including</i>	0.0	57.6	57.6		NS
		57.6	89.9	32.3		0.01
		89.9	92.5	2.6	2.48	0.41
		92.5	101.9	9.4		0.03
		101.9	137.1	35.2		NS
		137.1	140.0	2.9	2.47	2.18
		140.0	143.9	4.0		0.18
		<b>143.9</b>	<b>149.6</b>	<b>5.7</b>	<b>4.88</b>	<b>3.56</b>
		143.9	146.3	2.4	2.04	7.77
	149.6	151.7	2.1		0.02	
LIM-24-4977		0.0	59.9	59.9		NS
		59.9	68.3	8.4		0.01
		68.3	69.0	0.8	0.72	50.20
		69.0	76.0	7.0		0.05
		76.0	100.5	24.5		NS
		100.5	108.1	7.6		0.03
		108.1	110.5	2.5	2.06	25.52
		110.5	117.0	6.5		0.07
LIM-24-4983	San Jose	0.0	20.2	20.2		0.00
		20.2	58.6	38.4		NS
		58.6	64.8	6.2		0.03

		64.8	117.6	52.9		NS
		117.6	120.2	2.6		0.06
		120.2	121.2	1.0	0.49	0.35
		121.2	129.6	8.5		0.01
		129.6	132.0	2.4	1.19	0.39
		132.0	177.8	45.9		NS
		177.8	178.6	0.8	0.41	0.91
		178.6	184.7	6.1		0.04
		184.7	212.3	27.6		NS
		212.3	214.0	1.8	1.2	1.52
		214.0	215.0	1.0		0.01
LIM-24-4975		0.0	101.7	101.7		NS
		101.7	113.2	11.5		0.01
		113.2	316.5	203.3		NS
		316.5	317.4	1.0	0.87	0.36
		317.4	320.8	3.4		0.04
		<b>320.8</b>	<b>327.7</b>	<b>6.9</b>	<b>6.35</b>	<b>5.39</b>
	<i>Including</i>	322.9	327.7	4.9	4.5	7.12
		327.7	337.3	9.6		0.16
		337.3	356.3	19.1		NS
		356.3	362.2	5.9		0.06
LIM-24-4978		0.0	23.4	23.4		NS
		23.4	29.3	5.9		0.01
		29.3	245.8	216.5		NS
		245.8	274.4	28.7		0.03
		274.4	275.2	0.8	0.57	0.71
		275.2	288.0	12.9		0.09
		<b>288.0</b>	<b>291.2</b>	<b>3.2</b>	<b>2.45</b>	<b>23.36</b>
	<i>Including</i>	288.0	290.4	2.4	1.84	29.84
		291.2	297.0	5.8		0.06
LIM-24-4979		0.0	39.6	39.6		NS
		39.6	172.9	133.3		0.01
		172.9	203.7	30.8		NS
		203.7	217.6	13.9		0.02
		217.6	232.9	15.4		NS
		232.9	268.4	35.5		0.04
		268.4	269.4	1.1	0.73	0.56
		269.4	275.5	6.1		0.17
		<b>275.5</b>	<b>285.6</b>	<b>10.1</b>	<b>7.06</b>	<b>12.57</b>
	<i>Including</i>	276.8	281.5	4.7	3.28	26.65
		285.6	291.4	5.8		0.14
		<b>291.4</b>	<b>341.6</b>	<b>50.2</b>	<b>35.17</b>	<b>4.29</b>
	<i>Including</i>	294.0	296.4	2.4	1.71	5.75
		317.3	324.3	7.1	5	21.43

		341.6	346.0	4.5		0.16
		<b>346.0</b>	<b>361.5</b>	<b>15.5</b>	<b>10.85</b>	<b>3.07</b>
	<i>Including</i>	346.8	349.1	2.3	1.61	8.92
		361.5	369.6	8.1		0.11
		369.6	373.1	3.5	2.35	8.00
		373.1	385.5	12.4		0.11
		<b>385.5</b>	<b>388.4</b>	<b>2.9</b>	<b>2.03</b>	<b>2.55</b>
	<i>Including</i>	385.5	386.8	1.3	0.91	5.10
		388.4	392.0	3.7		0.24
		392.0	395.1	3.1	2.17	0.75
		395.1	399.6	4.5		0.16
		<b>399.6</b>	<b>416.3</b>	<b>16.7</b>	<b>11.76</b>	<b>3.24</b>
	<i>Including</i>	401.4	403.0	1.6	1.19	9.40
		404.1	405.6	1.5	1.12	11.23
		411.2	412.3	1.1	0.84	9.40
		416.3	434.1	17.9		0.11
		434.1	450.9	16.8	11.83	0.63
		450.9	457.0	6.1		0.18
		<b>457.0</b>	<b>472.4</b>	<b>15.5</b>	<b>10.24</b>	<b>0.89</b>
	<i>Including</i>	459.7	463.3	3.6	2.39	1.73
		472.4	506.3	33.9		0.13
LIM-24-4984		0.0	339.6	339.6		NS
		339.6	353.4	13.8		0.03
		<b>353.4</b>	<b>355.9</b>	<b>2.6</b>	<b>1.05</b>	<b>16.34</b>
	<i>Including</i>	353.4	354.8	1.4	0.55	25.65
		355.9	358.8	2.9		0.07
		358.8	359.7	0.9	0.36	1.60
		359.7	374.3	14.6		0.07
		374.3	376.6	2.3	0.9	1.44
		376.6	401.7	25.2		0.07
LIM-24-4985		0.0	259.0	259.0		NS
		259.0	297.4	38.4		0.02
		297.4	313.2	15.8		NS
		313.2	322.0	8.8		0.13
		322.0	326.0	4.0	3.64	1.05
		326.0	340.0	14.0		0.03
		340.0	341.4	1.4	1.22	0.38
LIM-24-4987		0.0	74.6	74.6		NS
		74.6	92.0	17.4		0.00
		92.0	95.9	3.9	3.83	1.66
		95.9	101.9	6.0		0.08
		101.9	103.1	1.2	1.18	0.73
		103.1	105.2	2.2		0.15
		105.2	116.0	10.8	10.48	0.63



LIM-24-4991		0.0	98.8	98.8		NS
		98.8	110.7	11.9		0.01
		<b>110.7</b>	<b>120.2</b>	<b>9.5</b>	<b>8.62</b>	<b>2.62</b>
	<i>Including</i>	110.7	114.1	3.5	3.11	5.22
		120.2	129.3	9.2		0.11
LIM-24-4993		0.0	106.5	106.5		NS
		106.5	123.6	17.1		0.00
		123.6	138.6	15.0		NS
		138.6	143.7	5.2		0.01
		<b>143.7</b>	<b>155.6</b>	<b>11.9</b>	<b>10.57</b>	<b>1.82</b>
	<i>Including</i>	146.2	149.4	3.3	2.92	4.52
		155.6	156.6	1.1		0.07
LIM-24-4995		0.0	57.5	57.5		NS
		57.5	92.6	35.1		0.00
		<b>92.6</b>	<b>94.8</b>	<b>2.2</b>	<b>2.12</b>	<b>1.86</b>
	<i>Include</i>	92.6	94.0	1.5	1.45	2.48
		94.8	98.7	4.0		0.08
		<b>98.7</b>	<b>101.6</b>	<b>2.9</b>	<b>2.79</b>	<b>1.78</b>
	<i>Including</i>	98.7	100.1	1.4	1.33	2.85
		101.6	108.0	6.4		0.06
	108.0	110.1	2.2	2.05	0.66	
	110.1	113.5	3.4		0.01	
LIM-24-4986		0.0	88.7	88.7		NS
		88.7	99.1	10.4		0.02
		99.1	102.2	3.1	1.98	0.40
		102.2	137.8	35.6		0.03
		137.8	139.4	1.6	1.02	0.50
		139.4	140.4	1.1		0.01
		140.4	156.7	16.3		NS
		156.7	158.2	1.5		0.04
		158.2	161.2	3.0	1.92	0.34
		<b>161.2</b>	<b>175.0</b>	<b>13.9</b>	<b>8.9</b>	<b>0.91</b>
	<i>Including</i>	161.2	162.2	1.0	0.64	2.52
		175.0	179.5	4.5		0.05
		179.5	182.8	3.3	2.11	1.15
		182.8	235.4	52.6		0.02
		235.4	235.9	0.5	0.32	0.74
		235.9	244.2	8.3		0.04
		244.2	246.6	2.5	1.6	0.27
		246.6	264.2	17.6		0.06
		264.2	265.3	1.1	0.7	1.73
		265.3	268.5	3.2		0.18
	<b>268.5</b>	<b>272.4</b>	<b>3.9</b>	<b>2.5</b>	<b>2.06</b>	
<i>Including</i>	270.4	271.7	1.3	0.83	4.56	

		272.4	284.8	12.4		0.04
LIM-24-4992		0.0	313.8	313.8		NS
		313.8	324.4	10.6		0.06
		324.4	327.4	3.1	2.45	0.29
		327.4	334.5	7.1		0.10
		<b>334.5</b>	<b>338.2</b>	<b>3.8</b>	<b>3.02</b>	<b>2.77</b>
	<i>Including</i>	334.5	335.8	1.3	1.03	5.50
		338.2	345.4	7.2		0.13
		345.4	349.9	4.5	3.63	1.26
LIM-24-4994		349.9	355.4	5.5		0.08
		0.0	120.3	120.3		NS
		120.3	124.6	4.3		0.03
		124.6	126.6	2.1	1.9	0.47
		126.6	137.8	11.2		0.16
		137.8	140.8	3.0	2.73	0.98
	<i>Including</i>	137.8	139.1	1.3	1.2	1.66
		140.8	156.9	16.1		0.09
LIM-24-4996		0.0	35.8	35.8		NS
		35.8	65.9	30.1		0.01
		65.9	115.6	49.7		NS
		115.6	127.1	11.5		0.01
		127.1	127.8	0.7	0.42	0.36
		127.8	146.0	18.3		0.07
		146.0	164.0	18.0		NS
		164.0	176.0	12.0		0.02
		176.0	177.2	1.2	0.73	1.23
		177.2	179.6	2.4		0.07
		179.6	197.9	18.3		NS
		197.9	198.9	1.0		0.08
		198.9	200.0	1.1	0.82	0.52
		200.0	219.1	19.1		0.03
		219.1	220.4	1.3	0.94	0.43
	220.4	229.5	9.2		0.11	
	229.5	247.5	18.0		NS	
	247.5	261.8	14.3		0.07	
LIM-24-4998		0.0	98.4	98.4		NS
		98.4	118.1	19.8		0.00
		118.1	144.6	26.5		NS
		144.6	153.7	9.1		0.01
		<b>153.7</b>	<b>161.3</b>	<b>7.7</b>	<b>7.43</b>	<b>3.17</b>
	<i>Including</i>	157.5	159.3	1.8	1.73	10.57
		161.3	171.5	10.2		0.11
		<b>171.5</b>	<b>175.1</b>	<b>3.6</b>	<b>2.99</b>	<b>1.01</b>
	<i>Including</i>	171.5	172.4	0.9	0.75	3.17

		175.1	188.8	13.7		0.11
		188.8	189.5	0.8	0.66	0.83
		189.5	203.0	13.5		0.11
		203.0	204.0	1.0	0.83	0.78
		204.0	208.8	4.8		0.07
		208.8	209.8	1.0	0.73	7.10
		209.8	230.2	20.5		0.05
		230.2	250.4	20.2		NS
		250.4	253.8	3.5		0.14
LIM-24-5000		0.0	124.8	124.8		NS
		124.8	136.9	12.1		0.03
		<b>136.9</b>	<b>149.2</b>	<b>12.3</b>	<b>12.04</b>	<b>0.75</b>
	<i>including</i>	136.9	141.7	4.8	4.69	1.22
		149.2	160.0	10.8		0.06
LIM-24-5006		0.0	88.1	88.1		NS
		88.1	104.9	16.8		0.00
		<b>104.9</b>	<b>117.1</b>	<b>12.2</b>	<b>10</b>	<b>0.98</b>
	<i>Including</i>	113.2	115.4	2.2	1.8	2.04
		117.1	124.2	7.2		0.13
		<b>124.2</b>	<b>126.9</b>	<b>2.7</b>	<b>2.37</b>	<b>1.94</b>
	<i>Including</i>	124.2	126.2	2.0	1.75	2.31
		126.9	141.5	14.6		0.02
LIM-24-5003		0.0	17.0	17.0		NS
		17.0	31.1	14.1		0.10
		<b>31.1</b>	<b>39.2</b>	<b>8.1</b>	<b>5.33</b>	<b>4.19</b>
	<i>Including</i>	33.9	36.7	2.8	1.83	10.36
		39.2	43.2	4.0		0.06
		<b>43.2</b>	<b>44.3</b>	<b>1.1</b>	<b>0.7</b>	<b>1.45</b>
		44.3	55.2	10.9		0.01
		<b>55.2</b>	<b>56.0</b>	<b>0.8</b>	<b>0.3</b>	<b>1.13</b>
		56.0	60.6	4.6		0.07
		60.6	63.6	3.1	0.65	0.87
		63.6	65.2	1.6		0.26
LIM-24-5005		0.0	34.8	34.8		NS
		34.8	59.8	25.0		0.00
		59.8	71.7	12.0		NS
		71.7	94.7	23.0		0.00
		94.7	122.6	28.0		NS
		122.6	152.8	30.2		0.03
		152.8	166.1	13.3		NS
		166.1	178.4	12.3		0.05
		178.4	185.1	6.8	4.49	0.74
		185.1	205.4	20.3		0.08
		205.4	208.3	2.9	1.9	0.45

		208.3	209.5	1.2		0.13	
		209.5	224.8	15.3		NS	
		224.8	226.0	1.3	0.83	0.39	
		226.0	265.7	39.7		0.05	
		265.7	266.8	1.1	0.44	0.51	
		266.8	278.7	12.0		0.08	
LIM-24-5012		0.0	25.8	25.8		NS	
		25.8	30.1	4.3		0.09	
		30.1	31.4	1.4	0.8	0.63	
		31.4	48.7	17.3		0.06	
		48.7	50.2	1.6	0.9	0.40	
		50.2	62.1	11.9		0.06	
		62.1	63.2	1.2	0.77	0.85	
		63.2	65.0	1.8		0.02	
		<b>65.0</b>	<b>76.1</b>	<b>11.1</b>	<b>7</b>	<b>2.70</b>	
		<i>Including</i>	68.5	71.6	3.1	1.96	7.63
			76.1	80.5	4.4		0.14
			80.5	81.3	0.8	0.5	0.46
			81.3	82.0	0.7		0.10
			82.0	105.9	23.9		NS
			<b>105.9</b>	<b>112.9</b>	<b>7.1</b>	<b>5.96</b>	<b>2.59</b>
		<i>Including</i>	107.9	108.9	1.1	0.92	9.30
			112.9	118.8	5.9		0.04
		118.8	123.1	4.3	3.61	0.66	
		123.1	133.9	10.9		0.05	
LIM-24-5018		0.0	39.4	39.4		NS	
		39.4	45.5	6.1		0.02	
		45.5	60.8	15.3		NS	
		60.8	61.6	0.8		0.14	
		61.6	63.0	1.5	0.84	0.77	
		63.0	69.0	6.0		0.08	
		69.0	156.9	87.9		NS	
		156.9	161.4	4.6		0.05	
		161.4	176.3	14.9		NS	
		176.3	183.9	7.7		0.06	
		<b>183.9</b>	<b>193.6</b>	<b>9.7</b>	<b>5.7</b>	<b>4.64</b>	
		<i>Including</i>	184.8	186.7	2.0	1.16	13.55
			190.4	192.6	2.2	1.28	6.63
			193.6	198.0	4.5		0.11
			<b>198.0</b>	<b>203.5</b>	<b>5.5</b>	<b>3.53</b>	<b>1.08</b>
		<i>Including</i>	200.0	201.2	1.2	0.78	2.87
			203.5	205.3	1.8		0.12
		205.3	206.2	1.0	0.65	0.85	
		206.2	220.9	14.7		0.03	

**Note:** Estimated True Widths ('ETW') for reported vein intercepts are based on 3D models of the individual veins. Estimates are determined in cross-section by measuring the modelled vein thickness perpendicular to the vein margins and through the midpoint of the drill hole intercept. Percentage based differences between individual ETW's and down-hole interval lengths will vary between drill holes depending on drill hole inclination, variations in vein strike and dip, and overall geometries of the different vein systems.

**November 18 2024 – Drill Hole Collar Coordinates**

Drill Hole ID	UTM East (m)	UTM North (m)	Elevation (masl)	Total Depth (m)	Azimuth (degrees)	Dip (degrees)
LIM-24-4883	532088.982	1409599.743	80.134	460.3	201.99	-59.58
LIM-24-4885	532103.093	1409277.4	67.307	249.75	88.05	-54
LIM-24-4886	531991.015	1409136.163	65.003	486.05	302.66	-51.17
LIM-24-4887	531609.839	1408796.598	67.008	425.1	63.29	-50.61
LIM-24-4889	532308.623	1409469.662	65.325	444.85	210	-52
LIM-24-4888	532230.616	1409245.174	65.76	570.1	304.98	-48.18
LIM-24-4892	532634.882	1409114.458	63.574	414.45	210.01	-52.45
LIM-24-4893	532140.599	1409190.766	67.281	195.75	205.05	-50.43
LIM-24-4894	532694.521	1409842.821	75.973	240.6	335	-50
LIM-24-4896	532599.438	1409028.755	64.903	397.7	173.58	-52.31
LIM-24-4909	534058.516	1411949.338	41.904	248.15	272.02	-49.87
LIM-24-4911	532487.593	1409227.171	60.865	385.6	209.96	-50.17
LIM-24-4921	538497.647	1409338.424	60.495	245.5	259.99	-80.87
LIM-24-4926	538340.521	1409407.561	68.604	237.25	80.05	-44.8
LIM-24-4942	531679.211	1411098.852	74.851	323.15	290	-65
LIM-24-4940	531259.192	1409846.148	76.492	304.75	232.55	-49.98
LIM-24-4944	532211.23	1409371.586	64.509	411.45	208.43	-48.69
LIM-24-4948	531513.482	1410201.484	89.111	310.55	303.21	-44.26
LIM-24-4949	531082.302	1410037.866	79.558	379.4	242	-50
LIM-24-4950	532414.251	1407773.839	67.361	360	203.28	-79
LIM-24-4951	531408.317	1410438.36	84.173	204.3	290	-62
LIM-24-4952	532331.154	1409521.878	63.641	356.5	316.34	-48.46
LIM-24-4954	524201.001	1409507.058	61.232	465.5	163.02	-72.95
LIM-24-4955	532656.23	1409716.303	70.598	277.3	328.49	-50.18
LIM-24-4956	532136.95	1408118.423	70.431	330	290	-60
LIM-24-4957	528633.722	1410652.393	122.088	150	250	-46
LIM-24-4960	528633.722	1410652.393	122.088	150.2	220	-47
LIM-24-4961	532510.404	1409594.029	61.717	361	324.68	-48.7
LIM-24-4963	531272.12	1410290.033	89.056	130.9	284.85	-50.51
LIM-24-4964	532425.095	1407509.987	59.401	370.55	47.28	-71
LIM-24-4965	524180.141	1409877.174	77.732	519.8	180.01	-48.87
LIM-24-4968	531947.389	1409165.731	73.003	75.8	208.79	-50.42
LIM-24-4969	532027	1409144	72.947	240.7	209.89	-49.13
LIM-24-4970	531927.035	1409222.602	67.412	179.6	209.73	-49.13

LIM-24-4971	532414.159	1407458.963	68.863	336.7	50.04	-56.65
LIM-24-4974	530940.34	1410381.47	84.924	356.4	242.42	-48.06
LIM-24-4975	526660.144	1410407.611	87.196	371.55	151.06	-48.46
LIM-24-4976	531899.878	1409252.274	68.162	178.1	210.05	-49.66
LIM-24-4977	531881.378	1409231.031	67.84	130.9	210.05	-50.02
LIM-24-4978	532605.719	1407769.575	67.796	315.1	230.59	-48.3
LIM-24-4979	523756.721	1409389.474	73.844	506.3	0.09	-50.39
LIM-24-4980	531855.315	1409257.253	68.643	130.9	211.55	-48.89
LIM-24-4983	530667.362	1410538.39	95.802	254.35	240.76	-59.72
LIM-24-4984	532250.442	1407532.544	72.41	411.5	50.42	-49.9
LIM-24-4985	526618.242	1410377.768	78.248	358.15	147.52	-49.83
LIM-24-4986	530848.491	1410467.961	102.338	336.6	242.04	-48.22
LIM-24-4987	531420.83	1410492.48	82.484	138.45	200	-50
LIM-24-4991	531388.278	1410392.329	86.782	139.95	289.56	-55
LIM-24-4992	526684.001	1410409.074	93.018	367.05	148.9	-56.17
LIM-24-4993	531396.553	1410321.359	92.007	179.7	290	-55
LIM-24-4994	526907.616	1410621.319	163.596	156.85	84.49	-44.39
LIM-24-4995	531433.382	1410545.364	81.635	136.9	286.51	-61.54
LIM-24-4996	530850.588	1410328.245	97	272.1	242	-52
LIM-24-4998	531372.455	1410204.729	79.05	278.75	285	-50
LIM-24-5000	531488.133	1410502.758	87.291	181.2	278.72	-50.08
LIM-24-5002	531481.38	141438.89	81.84	191.9	278.43	-50.12
LIM-24-5003	527088.813	1410767.107	111.476	123.1	295.06	-44.51
LIM-24-5005	530943.1	1410271.386	83.433	327.1	235	-50
LIM-24-5006	531452.21	1410565.28	81.15	161.3	299.83	-75
LIM-24-5012	532013.862	1409039.626	65.797	217.95	274.09	-50.39
LIM-24-5018	532075.745	1408969.5	69.907	237.65	274.44	-49.81