

CALIBRE CONTINUES TO INTERCEPT HIGH GRADE GOLD MINERALIZATION AT ITS EASTERN BOROSI MINE COMPLEX

Calibre Mining News Release, August 20, 2024 - Drill Hole Table

*See notes at the bottom of the table

Drill Hole ID	Vein Structure	From (m)	To (m)	Interval (m)	ETW (m)	Au (g/t)	Ag (g/t)
GP-24-176	Guapinol <i>includes</i>	0.00	109.00	109.0		NS	NS
		109.00	122.85	13.9		0.00	0.1
		122.85	125.40	2.6	2	1.28	1.2
		123.75	124.75	1.0	0.78	2.66	2.0
		125.40	136.00	10.6		0.01	0.1
GP-24-178A	Guapinol <i>includes</i>	0.0	144.3	144.3		NS	NS
		144.3	183.7	39.5		0.02	0.5
		183.7	186.7	3.0	2.9	3.37	2.1
		183.7	185.2	1.5	1.4	6.13	3.2
		186.7	191.0	4.3		0.06	0.5
		191.0	192.0	1.0	0.96	0.75	6.4
		192.0	194.9	3.0		0.06	1.7
		194.9	202.5	7.6	7.3	3.31	4.4
		194.9	196.6	1.7	1.6	8.15	8.9
		200.9	201.8	0.9	0.8	6.67	3.9
		202.5	205.0	2.5		0.03	2.2
GP-24-179	Guapinol <i>includes</i>	0.0	116.0	116.0		NS	NS
		116.0	132.9	16.9		0.00	0.1
		132.9	134.9	2.1	1.57	9.25	11.0
		133.5	134.9	1.4	1.1	12.70	14.6
		134.9	156.5	21.6		0.01	0.3
GP-24-181	Guapinol <i>includes</i>	0.0	172.1	172.1		NS	NS
		172.1	186.6	14.5		0.04	0.9
		186.6	195.3	8.7	8.6	7.81	12.6
		190.5	194.3	3.8	3.7	16.61	26.8
		195.3	196.2	0.9	0.8	0.25	0.8
		196.2	200.7	4.5		0.03	0.3
GP-24-182	Guapinol <i>includes</i>	0	168.6	168.6		NS	NS
		168.6	174.45	5.85		0.02	0.3
		174.45	181.05	6.6	5.8	13.24	9.6
		176.45	181.05	4.6	4	18.52	12.5
		181.05	191.15	10.1		0.01	0.2
GP-24-184	Guapinol <i>includes</i>	0	61.1	61.1		NS	NS
		61.1	82.35	21.25		0.01	0.1
		82.35	97.85	15.5		NS	NS
		97.85	101.85	4	3.7	2.75	2.4
		97.85	98.95	1.1	1	8.14	5.4
		101.85	110.3	8.45		0.01	0.3

GP-24-186	Guapinol	0.0	209.1	209.1		NS	NS
		209.1	240.2	31.1		0.02	0.4
		240.2	242.0	1.9	1.7	3.93	6.0
		240.7	242.0	1.4	1.2	5.28	7.8
		242.0	246.0	4.0		0.06	0.9
		246.0	250.7	4.7	4.5	5.01	3.1
		247.3	249.9	2.6	2.5	8.59	4.5
		250.7	253.5	2.8		0.03	0.2
		0.0	178.0	178.0		NS	NS
		178.0	198.9	20.9		0.07	0.7
GP-24-187	Guapinol	198.9	202.9	4.1	3.8	11.62	37.8
		200.0	202.0	2.1	1.9	22.36	69.9
		202.9	220.4	17.5		0.01	0.2
		0.0	124.2	124.2		NS	NS
		124.2	144.4	20.3		0.01	0.1
GP-24-188	Guapinol	144.4	162.7	18.3		NS	NS
		162.7	163.2	0.5		0.03	0.8
		163.2	187.9	24.7		NS	NS
		187.9	195.4	7.5		0.03	0.2
		195.4	201.5	6.1	5.9	1.49	1.9
		196.5	197.9	1.4	1.3	3.61	3.3
		201.5	204.0	2.5		0.11	0.7
		0.0	176.8	176.8		NS	NS
		176.8	219.4	42.7		0.01	0.3
		219.4	226.0	6.6	6.2	9.24	7.9
GP-24-189	Guapinol	220.4	223.7	3.3	3.1	17.45	14.2
		226.0	229.3	3.3		0.13	0.5
		0.0	228.3	228.3		NS	NS
		228.3	246.2	17.9		0.02	0.3
		246.2	249.9	3.7	2.9	0.53	1.3
GP-24-190	Guapinol	249.9	259.7	9.9		0.02	0.4
		259.7	261.7	2.0	1.5	1.23	1.4
		261.7	264.0	2.3		0.04	1.6

Note: Estimated True Widths ('ETW') for reported vein intercepts are based on 3D models of the individual veins. Estimates are determined in cross-section by measuring the modelled vein thickness perpendicular to the vein margins and through the midpoint of the drill hole intercept. Percentage based differences between individual ETW's and down-hole interval lengths will vary between drill holes depending on drill hole inclination, variations in vein strike and dip, and overall geometries of the different vein systems.

August 20, 2024 – Drill Hole Collar Coordinates

Drill Hole ID	Prospect	UTM East (m)	UTM North (m)	Elevation (masl)	Total Depth (m)	Azimuth (degrees)	Dip (degrees)
GP-24-176	Guapinol	797268.15	1553005	64.73	136	132	-27

GP-24-178A	Guapinol	797063.32	1552869	55.27	208.4	100	-35
GP-24-179	Guapinol	797268.25	1553005	64.3	157.05	163	-27
GP-24-181	Guapinol	797063.81	1552869	55.13	205.15	113	-36
GP-24-182	Guapinol	797060.77	1552819	54.01	191.15	190	-37
GP-24-184	Guapinol	797083.26	1552665	29.7	110.3	87	-30
GP-24-186	Guapinol	797056	1552961	67.22	267.75	118	-49
GP-24-187	Guapinol	797131.87	1552983	65.1	220.35	122	-50
GP-24-188	Guapinol	797122	1552974	65.1	211.05	123	-36
GP-24-189	Guapinol	797070	1552921	65.97	245	124	-52
GP-24-190	Guapinol	797071	1552922	65.97	268.15	123	-63